

PORCELAIN STONE[®] | NATURAL STONE | GLASS TILE | WALL TILE
PORCELAIN TILE PANELS | PORCELAIN SLABS



Floor: **Shades 2.0** | SHD41 Frost | SHD44 Mist | SHD46 Ash | SHD48 Thunder
Cool Springs Galleria
Designed by: Omni Plan

Welcome to Crossville, Inc.

*We love partnering with designers like you for one simple reason:
what inspires you, inspires us.*

CREATIVE SOLUTIONS FOR EVERY PROJECT

For more than 30 years, designers and architects, retailers, and specifiers have looked to Crossville for creative solutions. This catalog will familiarize you with our products, services, and complimentary samples. Finding your next inspiration isn't always obvious, but finding the right partner should be.

HIGHEST STANDARDS FROM THE INSIDE OUT

Crossville is a subsidiary of The Curran Group, a family-owned, privately held corporation. We run on the same principles that the Currans are known for in all their business endeavors: family, partnership, integrity, improvement, and respect. Get to know us, and you'll find that our unique value system guides our relationships with employees, business associates, and with you, our customers.



FAMILY OWNED AND DESIGNED IN THE U.S.

As America's first manufacturer of large format porcelain tile, Crossville brings a history of innovation to clients who expect the highest standards inside and out. In fact, a majority of our tile is made here in the United States. As a subsidiary of The Curran Group we remain true to core values of family, partnership, integrity, improvement, and respect.


































Table of Contents

CROSSVILLE SOLUTIONS

Uniquely Crossville	PAGE 04	Cross-Sheen®/Hydrotect™/Exterior Cladding	PAGE 09
Special Services	PAGE 05	Sustainability	PAGE 10
Application Areas	PAGE 06	Cleaning	PAGE 209
Get Planked Program	PAGE 07	Tile Performance Data Chart	PAGE 210
Wet DCOF/Safety Considerations	PAGE 08	Appendix	PAGE 211

PORCELAIN STONE®

If you expect your design materials to rise to the level of your creative vision, Porcelain Stone by Crossville is the clear choice. With hundreds of styles, colors, and sizes, Porcelain Stone provides design flexibility demanded by the nation's top architects and designers. Strong, durable, and stain resistant, it's backed by a no-nonsense warranty.

						
Alaska® p.24	Altered State p.28	Argent p.30	Basalt p.34	Bluestone p.36	Classic Grooves p.38	Color Blox® 2.0 p.42
						
Cross-Colors® Mingles p.46	Cross-Tech® p.48	Empire p.50	Familiar Territory p.52	Gotham® p.54	Java Joint p.56	Jazz Age p.58
						
Main Street p.60	Moonstruck p.62	Multiplier p.64	Nest® p.68	Notorious® p.72	Owen Stone p.74	Portugal p.78
						
Ready to Wear p.82	Reformation p.84	Relax p.88	Retro Active 2.0 p.90	Shades 2.0 p.94	SpeakEasy p.98	State of Grace p.100
						
Stone Fiction p.102						



NATURAL STONE

From the casual warmth of multi-stoned slate and the polished elegance of black and white marble, natural stone collections by Crossville provide a tapestry of colors, shapes, and textures to create a beautiful backdrop for living.



Yin + Yang

p.106




Ebb & Flow

p.116

GLASS TILE

With Crossville's glass tile, bring your vision to life with creative, colorful designs on walls and ceilings. Play with vibrancy, boldness, or soft pastels and neutrals to create a statement that can't be ignored.



Convergence

p.114



Ebb & Flow

p.116




Glass Blox®

p.118



Groove Glass

p.122



Sideview Glass

p.124

WALL TILE

Bring beauty to a new canvas with Crossville's wall tile. Handmade wall tile gives design a specialized touch in a consistent execution. Lasting looks are brought to life in endless creative solutions.



Color By Numbers®

p.128




Cursive™

p.132



Handwritten

p.134



Simpatico

p.136



Swatches™

p.138

PORCELAIN TILE PANELS

Fashion and performance driven, Porcelain Tile Panels by Crossville® clear the way for modern style and technical innovation. These large tile panels bring uninterrupted, flawless beauty to space and form.




Porcelain Tile Panels

p.143

PORCELAIN SLABS

Crossville Porcelain Slabs. – where creative solutions don't compromise. Other countertop materials may stain, crack, or yellow; our 12mm thick 100% porcelain products excel. The same as the porcelain tile and panel products you know, these beautiful designs are built to last.



Porcelain Slabs

p.183



Uniquely Crossville

DESIGN TOOLS

Planning and visualization tools for designers and architects are available on CrossvilleInc.com/Resources/Tile-101.

FLOOR PATTERNS

Explore nearly 100 floor tile patterns with suggested tile sizes and collections for each.

SELECTING A GROUT

Find the best grout types and colors to complete your tile design.



GET PLANKED

Request your favorite tile in popular plank sizing (most Crossville collections are eligible, see page 7).

MOSAIC BUILDER

Choose from nearly endless combinations of Crossville glass tile colors and sizes to design custom mosaic for walls, floors, and more.

CROSS-VISION®

Create, save, and print visualizations of paint and flooring combinations, either within stock Crossville environments or via your own uploaded images. Visit our visualizer tools at CrossvilleInc.com/Design-Inspiration/Design-Visualizers.

NATIONAL ACCOUNTS

Clients working on national, multi-location projects face unique challenges and need a partner with the ability to meet their requirements across large geographical areas, ensuring every site consistently receives high quality material on time. That's where the Crossville National Account Team steps in. With extensive experience in the retail, automotive, quick-serve restaurant, convenience, and hospitality segments, our in-house National Accounts Team has what it takes to manage supply chain needs. They provide expert materials forecasting, sales support, order processing, and inventory management.

Contact a National Accounts representative at **(931) 484-2110** to learn more about the following:

- Dedicated customer focus with more than 26 years of service to commercial development.
- State-of-the-art logistics to ensure major market delivery 2-3 times per week.
- Special pricing programs to assist with cost-control needs.
- Expert materials forecasting, sales support, order processing, and inventory management.
- Extended product warranties and custom designs for more creative freedom.

GSA ADVANTAGE

Quality Crossville products are available at GSA pricing

Designing for government projects? Our extensive line of award-winning Porcelain Stone floor and wall tile, and our line of accent tiles, is available to government customers at GSA pricing.

Fast delivery

Centrally located in Crossville, Tennessee, we have an industry-leading logistics system to ensure you get your tile when and where you need it, on time and on budget.

On contract

Our GSA contract number is GS-07F-0429 and the TXMAS contract number is TXMAS-5-0560. Our products may also be purchased on state contracts.

Special Services




CROSSVILLEINC.COM

ORDERING SAMPLES

Order complimentary samples in the color of your preference at **CrossvilleInc.com**.

OTHER SPECIAL SERVICES INCLUDE:

- Loose samples are free for architects and designers. See back cover for details.
- Chip kits are available through your local distributor.
- Crosstyle® provides custom cutting of any Crossville Porcelain Stone tile into any geometric, straight-edged piece 2x2 or larger.
- Crossville now offers each of its Porcelain Stone products in popular plank shapes, with no minimum order and quick order fulfillment (most Crossville collections are eligible).
- Given the extreme hardness and durability of Crossville Porcelain Stone, cutting the tile or drilling holes requires specific blades and drill bits. Go to CrossvilleInc.com, and visit the Resources/Installation Guide section for our cutting and core drilling guides.
- Crossville offers an online booklet of pattern layout designs called the “Pattern Book.” Contact your local distributor or visit Crossville’s website at CrossvilleInc.com.
- Crossville offers custom color service. Minimum order requirement and special set-up fees apply.
- Crossville offers Cross-Grid®, a process that grinds all four sides of our Porcelain Stone tiles. This squaring is also called rectified, and it allows the tile to be installed with narrower grout joints.
- Crossville’s website offers a variety of additional tools and information valuable to both professionals and homeowners.



SAMPLE FOLDER



SAMPLE BOARD



CONTRACTOR BOARD



BROCHURE



Application Areas

Porcelain Stone	Page	Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/Fountains
Alaska	25	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Altered State	29	UPS	✓	✓	✓			✓	✓
Argent	31	UPS	✓	✓	✓			✓	✓
		HON	✓	✓	✓			✓	✓
Basalt	35	UPS	✓	✓	✓		✓	✓	
Bluestone	37	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		HON	✓	✓	✓			✓	✓
Classic Grooves	39	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Color Blox® 2.0 / Color Blox® 2.0 Mosaics	43	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Cross-Colors® Mingles	47	PO	✓	✓	✓			✓	✓
		UPS	✓	✓	✓			✓	✓
Cross-Slate®	48	CS	✓	✓	✓	✓	✓	✓	✓
Cross-Tread®	48	CTS	✓		✓	✓	✓		
Empire	51	PO	✓	✓	✓			✓	✓
		UP	✓	✓	✓	Mosaic Only*		✓	✓
Familiar Territory	53	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		SPO	✓	✓	✓			✓	✓
Gotham®	55	UPS	✓	✓	✓		✓	✓	
Java Joint	57	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Jazz Age	59	UP	✓	✓	✓	Mosaic Only*		✓	✓
Main Street	61	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Moonstruck	63	UPS	✓	✓	✓			✓	✓
		HON	✓	✓	✓			✓	✓
Nest®	69	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Notorious®	73	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		HON	✓	✓	✓			✓	✓
Owen Stone	75	LTR	✓	✓	✓			✓	✓
		EXT	✓	✓	✓	✓	✓	✓	✓
Portugal	79	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		EXT	✓	✓	✓	✓	✓	✓	✓
Ready to Wear	83	UPS	✓	✓	✓		✓	✓	
Reformation	85	UPS	✓	✓	✓	Mosaic Only*		✓	✓
Relax	89	UP	✓	✓	✓	Mosaic Only*		✓	✓
Retro Active 2.0	91	PO	✓	✓	✓			✓	✓
		UPS	✓	✓	✓	Mosaic Only*		✓	✓
		PTN	✓	✓	✓			✓	✓
Shades 2.0	95	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		SPO	✓	✓	✓			✓	✓
		PTN	✓	✓	✓			✓	✓
SpeakEasy	99	UPS	✓	✓	✓		✓	✓	
State of Grace	101	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		SAT	✓	✓	✓			✓	✓
Stone Fiction	103	UPS	✓	✓	✓	Mosaic Only*		✓	✓
		EXT	✓	✓	✓	✓	✓	✓	✓
Glass & Wall Tile									
Color By Numbers®	129	Satin/Gloss		✓					
Convergence	115			✓					
Cursive	133	Gloss		✓					
Ebb & Flow	117			✓	Covered Only				
Glass Blox®	119			✓	Covered Only				Mosaic Only
Groove Glass	123			✓	Covered Only				Mosaic Only
Handwritten	135			✓					
Sideview Glass	125	Matte/Polished		✓					
Simpatico	137	Satin/Gloss		✓					
Swatches	139	Satin/Gloss		✓					

* 4" or less in both length and width, UPS or UP mosaics

** Excludes mesh mounted mosaics. Crossville recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Crossville sales representative for more information.

NOTE: Trim applications will differ from field tile applications for the same series.

For more information on ANSI- A362.3 visit our website at <https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1>

Get Planked® Program



NEED IT IN PLANKS?

Found the perfect tile, but need it in planks?

Crossville now offers each of its Porcelain Stone products in popular plank shapes. With no minimum order and quick order fulfillment, you'll be seeing planks in no time.


Depending on the product selected there are 4 possible widths and 7 possible lengths, which add up to more than 2,596 shape combinations.

Many of Crossville's tiles are now available in the much-requested Half-Plank size (square tile cut in half). For the latest information about half-planked tile, please visit CrossvilleInc.com or phone: 931.484.2110



Wall: **Main Street** | AV214 Gallery Grey | AV215 Boutique Black
Designed by: The Miller Hull Partnership

Get Planked Sizes*



* Not all sizes shown are available in every product series. Allow 2-4 weeks based on availability for Get Planked orders.



Wet DCOF/Safety Considerations

DCOF - ANSI A326.3

ANSI A326.3 is the standard for accurately determining the dynamic coefficient of friction (DCOF) on a tile surface. Developed by the Tile Council of North America (TCNA), ANSI A326.3 is a repeatable, reproducible method of measuring DCOF. This method uses a specifically engineered device to perform the required testing, ensuring the most precise results. The ANSI A326.3 is included in the latest version of ANSI A137.1 Specifications for Ceramic Tile.

SAFETY CONSIDERATIONS FOR TILE

- In areas where standing water may occur, selected tile should have an elevated DCOF rating. Please refer to the "Tile Performance Data" page for additional information.
- Polished tile should not be used in areas where standing water, oil, or grease may be present due to the tile's low coefficient of friction.
- Pool deck tiles, whether interior or exterior, should have a surface texture that provides an elevated DCOF rating. Please refer to the "Tile Performance Data" page for additional information.
- Ramps or inclines should have an increased DCOF.
- There are no tiles that are slip proof, only slip resistant.



The Tile Council of North America (TCNA), established in 1945, has a leadership role in promoting the use of ceramic tile and in developing North American and international industry standards. To learn more about TCNA, please go to tcnatile.com.

Product	Finish	Wet DCOF Range
Empire	PO	0.22 – 0.32
Cross-Colors® Mingles	PO	0.31 – 0.41
Retro Active 2.0	PO	0.31 – 0.41
State of Grace	SAT	0.31 – 0.41
Alaska	UPS	0.42 – 0.52
Altered State	UPS	0.42 – 0.52
Argent	HON	0.42 – 0.52
Bluestone	HON	0.42 – 0.52
Classic Grooves	UPS	0.42 – 0.52
Empire	UP	0.42 – 0.52
Familiar Territory	SPO	0.42 – 0.52
Java Joint	UPS	0.42 – 0.52
Jazz Age	UP	0.42 – 0.52
Moonstruck	HON	0.42 – 0.52
Nest®	UPS	0.42 – 0.52
Notorious®	HON	0.42 – 0.52
Owen Stone	LTR	0.42 – 0.52
Reformation	UPS	0.42 – 0.52
Relax	UP	0.42 – 0.52
Retro Active 2.0	PTN	0.42 – 0.52
Shades 2.0	SPO	0.42 – 0.52
State of Grace	UPS	0.42 – 0.52
Stone Flction	UPS	0.42 – 0.52
Argent	UPS	0.50 – 0.60
Basalt	UPS	0.50 – 0.60
Bluestone	UPS	0.50 – 0.60
Color Blox® 2.0/Color Blox® 2.0 Mosaic	UPS	0.50 – 0.60
Cross-Colors® Mingles	UPS	0.50 – 0.60
Familiar Territory	UPS	0.50 – 0.60
Gotham®	UPS	0.50 – 0.60
Moonstruck	UPS	0.50 – 0.60
Notorious®	UPS	0.50 – 0.60
Portugal	UPS	0.50 – 0.60
Ready to Wear	UPS	0.50 – 0.60
Retro Active 2.0	UPS	0.50 – 0.60
Shades 2.0	UPS	0.50 – 0.60
SpeakEasy	UPS	0.50 – 0.60
Main Street	UPS	0.58 – 0.68
Owen Stone	EXT	0.60 – 0.70
Portugal	EXT	0.60 – 0.70
Stone Fiction	EXT	0.60 – 0.70

The industry standard for tile suitable for level interior spaces expected to be walked on when wet with water is a wet DCOF value of 0.42 or greater. A wet DCOF of less than 0.42 shall only be installed when the surface will be kept dry when walked upon and proper safety procedures will be applied when cleaning the tiles.

Finishing, Coating, and Cladding



CROSS-SHEEN®

- Protect tile from stains, scuffs, and graffiti.
- Integrated invisible finish that requires only a mild cleaner for hassle-free maintenance.
- Applicable to exterior and interior walls as well as interior flooring for commercial or residential.
- Exclusively from Crossville and made in the U.S. to stringent specifications.
- Visit us online for usage of Cross-Sheen in the redesign of DeAnza High School, Ashland Youth Center, and others.

HYDROTECT™ COATING

- Revolutionary invisible coating self-cleans exteriors against dirt, grime, algae, and pollution.
- Applicable to floors and walls, indoors and outside.
- No toxic chemicals needed to maintain that Day 1 look for years to come.
- Purifies exterior air by reducing greenhouse gases, environmental pollutants, and volatile organic compounds in the presence of UV light.
- A 10,000-square-foot area of tiles can clean the air as effectively as 70 poplar trees or green space the size of four tennis courts.

To learn more about Cross-Sheen and HydroTECT visit CrossvilleInc.com/Resources/Tile-101/Finishes-Coatings.

EXTERIOR CLADDING

- Offers both aesthetic appeal and structural functionality.
- Graffiti resistant and appropriate for all kinds of environments.
- Engineered for utility savings due to thermal mass advantages.
- Contact us at crossc@crossvilleinc.com to learn more.





Sustainability

RECYCLED CONTENT

At Crossville, sustainability is at the heart of all that we do. Our products contain recycled content that is a mix of material from our own manufacturing processes, previously fired tile, and post-manufactured waste from other sources. The amount and source of our recycled material varies by production run in an effort to reduce overall environmental impact. For this reason, we are no longer reporting minimum recycled content by series.

As part of our contribution to LEED V4 & V4.1 projects, we ask that you use Crossville's other applicable resources, including EPD's, HPD's, Declare Labels, Green Squared, and more found here www.crossvilleinc.com/Resources/Sustainability



RECYCLED PRODUCTS

Crossville has recycled over 12 million pounds of previously discarded filtrate waste, in addition to our own fired waste recycling. Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit www.crossvilleinc.com/Resources/Sustainability.

TILE TAKE-BACK® PROGRAM

With our Tile Take-Back Program, Crossville, the tile industry's leader in sustainable initiatives, solves the major environmental problem facing the tile industry today: recycling fired tile.

Previously, pre and post-consumer tile has been considered non-recyclable. While many tile manufacturers, including Crossville, have successfully reused scrap powders and unfired tile, hundreds of millions of pounds of damaged or otherwise unsellable fired tile (tile in its finished state), have gone to landfills each year. Additionally, there has been no environmentally friendly manner to dispose of previously installed tile.

We have developed a proprietary system of processing porcelain tile back into a powder used in manufacturing new tile, allowing us to recycle our own fired scrap tile that previously went to landfill. Additionally, through our groundbreaking Tile Take-Back Program, we can take back samples and previously installed further alleviating a concern for environmentally-minded designers and building owners. Through Crossville's revolutionary Tile Take Back program and internal fired scrap recycling we have recycled millions of pounds of fired, pre- and post-consumer porcelain tile in the United States, enabling us to maintain net waste consumption in our plants since 2012.



LIVING PRODUCT CHALLENGE

As Crossville re-invigorates new lines, we strive to make them as environmentally friendly as possible. For this reason, we have partnered with the International Living Future Institute for the Living Product Challenge.

Using the Living Product Challenge framework, consumers can choose products that are healthy and free of toxins, know that manufacturers are socially responsible and respect the rights of workers, and that benefit both people and the environment.

Crossville is choosing to certify new products as part of a commitment to a healthy world by following the standards set for in the Living Product Challenge. Retro Active 2.0 has been awarded petals for Place, Water, and Beauty. Our newest 2.0 products - Shades 2.0 and Color Blox 2.0 - are currently in review.

Please refer to CrossvilleInc.com for product information. For more information on the Living Product Challenge visit www.living-future.org/lpc



Sustainability

SUSTAINABLE OPERATIONAL PROCEDURES

In order to minimize our impact on the environment, Crossville's sustainable operational procedures include:

- Printing of marketing materials at Forestry Stewardship Council certified facilities; use of soy inks and recycled paper whenever possible.
- Packaging of samples, merchandising materials, and piece goods with recycled/recyclable wrapping and cushioning.
- Company-wide recycling program for all office and production facility paper waste.

GREEN SQUAREDSM CERTIFICATION

The standard in sustainability for the tile industry in North America is ANSI A138.1. Crossville was among the first manufacturers to achieve Green SquaredSM certification for its entire U.S. manufactured porcelain tile product line-up, which is manufactured in Crossville, TN, as well as its production processes. Green Squared is the stringent and powerful measure for tile industry sustainability developed by Tile Council of North America under the American National Standards Institute (ANSI) process.

Green SquaredSM

- Evaluates products and processes in five key environmental and social categories:
 - Product characteristics
 - Manufacturing operations
 - Corporate governance
 - Innovation
 - End-of-life product management
- Recognizes manufacturers for leadership in environmental stewardship and corporate responsibility.
- Serves as the standard bearer to ensure transparent, full disclosure of sustainability product, manufacturer by manufacturer industry wide.



ECOCYCLE TILE PROCESSTM

Through the EcoCycle Tile ProcessTM, Crossville recycles millions of pounds of tile waste each year that would otherwise be sent to landfills. The two-pronged, proprietary process addresses the recycling of fired tile and filtrate waste. It's a major contributor to Crossville's status as a net consumer of waste (the company consumes more waste than it send to landfills)—a distinction that no other domestic tile manufacturer has yet to achieve.

ENVIRONMENTAL

Environmental Product Declarations (EPDs), Material Ingredient Transparency, & Certifications:



EPD for manufactured tile
• third-party certified and has optimization



CHPS Pre-Approved EPD and HPD
• manufactured tile



HPD for manufactured tile
• third-party verified and optimized



Design for Health by Mindclick - Leader
• includes manufactured tile



Declare label for manufactured tile
• third-party verified and red list free



Wall: **Jazz Age** | JAZ04 Billie
12 Floor: **Jazz Age** | JAZ04 Billie
Countertop: **Crossville Porcelain Slabs** | PC002 Baltic Polished






**Please open flaps to view
Crossville® Porcelain Tile
Color Reference Chart.**



GRC01 State of Grace p.100



CBX31 Cotton Sheets Color Blox® 2.0 p.42




ASK01 Ice Alaska® p.24



AV301 Juno Moonstruck p.62




AV321 Lamp Post Gotham® p.54




SHD41 Frost Shades® 2.0 p.94



RET05 Snow Blind Retro Active 2.0 p.90




SHD42 Vapor Shades 2.0 p.94



RET04 Empress White Retro Active 2.0 p.90




CGR01 Forty-Five Classic Grooves p.38



MTP01 White Multiplier p.64




AV341 White Hot Altered State p.28



AV311 Buttoned Up Ready to Wear p.82



AV351/AV361 Levity Nest® p.68



PTG01 Velho White Portugal p.78



JAV01 Two Sugars Java Joint p.56



NTR01 Femme Fatale Notorious® p.72



FAM01 Crème Familiar Territory® p.52



JAZ01 Louis Jazz Age® p.58



ASK02 Bone Alaska® p.24



A1401 Winter Garden Argent p.30



CBX01 Sandbox Color Blox® 2.0 p.42



AV303 Kosmos Moonstruck p.62



SHD51 Foam Shades 2.0 p.94



AV211 Cinema Champagne Main Street p.60



AV322 Penthouse Gotham® p.54



AV291 Silica Basalt p.34



CGR03 Liner Notes Classic Grooves p.38



AV212 Café Caramel Main Street p.60




RLX01 Chiffon Relax p.88



AV201 Colorado Buff Bluestone p.36



STF02 Travertine Beige Stone Fiction p.102




CGR05 Sleeve Classic Grooves p.38



STF01 Travertine Ivory Stone Fiction p.102




FAM02 Taupe Familiar Territory® p.52



OST02 Bunny Owen Stone p.74



VS81 Palais Taupe Empire p.50



RET03 Featherstone Retro Active 2.0 p.90




VS75 Cadet White Empire p.50



AV354/AV364 Mindful Nest p.68




OST01 Down Owen Stone p.74




AV313 Off the Cuff Ready to Wear p.82



SHD43 Fog Shades 2.0 p.94



RFM03 Ideology Reformation p.84



A1403 No Reservations Argent p.30



FAM03 Sand Familiar Territory p.52



AV353/AV363 Blissful Nest p.68



PTG02 Grand Rosé Portugal p.78



AV292 Caldera Basalt p.34



NTR02 Private Eye Notorious p.72



A1404 Cowboy Up Argent p.30



OST03 Slipper Owen Stone p.74



CBX33 Wet Clay Color Blox 2.0 p.42




SHD45 Clay Shades 2.0 p.94



CGR02 B-Side Classic Grooves p.38




CBX07 Mud Pie Color Blox 2.0 p.38



RET02 Seal Taupe Retro Active 2.0 p.90



RLX02 Nutmeg Relax p.88



A1419 Muddy Waters Argent p.30



ASK03 Mink Alaska p.24



SHD52 Camel Shades 2.0 p.94



A1402 Sacred Sand Argent p.30



A1409 Lemon Drop Argent p.30



A1410 Orange Crush Argent p.30



A1411 Sunset Boulevard Argent p.30



A1412 Chicago Fire Argent p.30



CBX37 Cayenne Color Blox 2.0 p.42



AV345 Melting Point Altered State p.28



AV356/AV366 Slumber Nest* p.68




AV285 Bank Roll SpeakEasy p.98



SHD53 Russet Shades 2.0 p.94



JAZ04 Billie Jazz Age* p.58



AV294 Mafic Basalt p.34



RET06 Roasted Chestnut Retro Active 2.0 p.90



JAZ02 Duke Jazz Age* p.58




CBX14 Tree House Color Blox 2.0* p.42




RFM04 March On Reformation* p.84




AV344 Copper Core Altered State p.28



OST05 Sable Owen Stone p.74



FAM05 Iron Familiar Territory* p.52



AV213 Bistro Brown Main Street p.60



AV325 Dockside Gotham* p.54




ASK04 Glacier Alaska* p.24



CBX35 Celestial Horizon Color Blox* 2.0 p.42




CBX38 Little Boy Blue Color Blox* 2.0 p.42



A1415 Memphis Blues Argent p.30



A1414 Carnegie Cool Argent p.30



A1408 Glacier Lake Argent p.30



CBX13 Blue Suede Shoes Color Blox* 2.0 p.42




RET13 Royal Navy Retro Active 2.0 p.90



SHD54 Midnight Shades 2.0 p.94



A1416 Grapes of Wrath Argent p.30



A1413 Under the Sea Argent p.30



RET11 Gulf Breeze Retro Active 2.0 p.90




A1407 Water Vapors Argent p.30




CBX36 Just Ducky Color Blox* 2.0 p.42




AV284 Silver Screen SpeakEasy p.98



AV315 Decked Out Ready to Wear p.82



A1405 Hollywood and Vine Argent p.30



A1406 Emerald City Argent p.30



CBX34 Spring Sage Color Blox* 2.0 p.42



RET12 Racing Green Retro Active 2.0 p.90



AV317 Flannel Suit Ready to Wear p.82




AV316 Smarty Pants Ready to Wear p.82



A1417 Clean Slate Argent p.30



AV293 Bedrock Basalt p.34



A1420 On the Rocks Argent p.30



PTG03 Venho Verde Portugal p.78



AV323 Clock Tower Gotham® p.54



A1418 Concrete Jungle Argent p.30



PTG05 Harvest Tawny Portugal p.78



PTG06 Madeira Reserve Portugal p.78



PTG04 Tinta Negra Portugal p.78



NTR04 Suspense Notorious® p.72



CBX08 Sea Otter Color Blox® 2.0 p.42




AV318 Hats Off Ready to Wear p.82




AV342 Steel Gaze Altered State p.28




SHD46 Ash Shades 2.0 p.94



RET01 Antico Taupe Retro Active 2.0 p.90



AV324 Mainline Gotham® p.54



SHD47 Haze Shades 2.0 p.94



CBX17 I See the Moon Color Blox® 2.0 p.42



AV305 Apollo Moonstruck p.62




NTR05 Leading Man Notorious® p.72



AV283 Sweet Georgia Brown SpeakEasy p.98



AV352/AV362 Joyous Nest® p.68



FAM04 Mahogany Familiar Territory™ p.52



SHD44 Mist Shades 2.0 p.94



CBX03 Slinky Color Blox® 2.0 p.42




AV312 Hand in Glove Ready to Wear p.82




AV302 Luna Moonstruck p.62



RET09 Phantom Retro Active 2.0 p.90



AV314 Perfect Fit Ready to Wear p.82



AV281 Sidecar SpeakEasy p.98



VS87 Empress Silver Empire p.50




AV355/AV365 Peaceful Nest® p.68



RLX03 Woolen Relax p.88



JAV02 Flat White Java Joint p.56



AV202 Arizona Brown Bluestone p.36




JAV04 Fresh Ground Java Joint p.56




AV282 Zoot Suit SpeakEasy p.98



NTR03 Sugar Daddy Notorious® p.72



STF04 Travertine Coffee Stone Fiction p.102



STF03 Travertine Silver Stone Fiction p.102



JAV03 House Blend Java Joint p.56



RFM01 New Day Reformation® p.84



AV214 Gallery Grey Main Street p.60



AV304 Gemini Moonstruck p.62



JAZ03 Count Jazz Age® p.58



VS85 General's Grey Empire p.50



MTP03 Dark Grey Multiplier p.64



RET08 Mercurial Retro Active 2.0 p.90



RET07 Leaden Retro Active 2.0 p.90



SHD48 Thunder Shades 2.0 p.94




CGR04 Turntable Classic Grooves p.38




MTP02 Grey Multiplier p.64



RLX04 Caviar Relax p.88



JAV05 French Press Java Joint p.56



OST04 Mittens Owen Stone p.74




AV203 Pennsylvania Blue Bluestone p.36



AV326 Pavement Gotham® p.54




RFM02 Rally Cry Reformation® p.84




ASK05 Tundra Alaska® p.24




AV357/AV367 Meditative Nest® p.68



NTR06 Film Noir Notorious® p.72



AV295 Magma Basalt p.34



AV215 Boutique Black Main Street p.60



VS86 Black Swan Empire p.50




RET10 Armor Retro Active 2.0 p.90




AV343 Acid Wash Altered State p.28




SHD49 Ink Shades 2.0 p.94



AV204 Vermont Black Bluestone p.36



OST06 Teddy Owen Stone p.74



CBX32 Boot Black Color Blox® 2.0 p.42







Porcelain Stone®



Color Blox® 2.0 | CBX33 Wet Clay



SpeakEasy | AV283 Sweet Georgia Brown



Portugal | PTG02 Grand Rosé



Shades 2.0 | SHD52 Camel



Portugal | PTG06 Madeira Reserve



Alaska | ASK01 Ice

- ALASKA®
- ALTERED STATE
- ARGENT
- BASALT
- BLUESTONE
- CLASSIC GROOVES
- COLOR BLOX® 2.0
- CROSS-COLORS® MINGLES
- EMPIRE
- FAMILIAR TERRITORY®
- GOTHAM®
- JAVA JOINT
- JAZZ AGE®
- MAIN STREET
- MOONSTRUCK
- MULTIPLIER
- NEST®
- NOTORIOUS®
- OWEN STONE
- PORTUGAL
- READY TO WEAR
- REFORMATION®
- RELAX
- RETRO ACTIVE 2.0
- SHADES 2.0
- SPEAKEASY
- STATE OF GRACE
- STONE FICTION



Alaska Porcelain Stone


Alaska[®]

- Coordinates with Retro Active 2.0
- Cross-Shen finish for easy cleaning (available on UPS only)
- Look of real terrazzo
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Get Planked available


Visit the website to learn more:
CrossvilleInc.com/Products/Alaska




Available Colors




ASK01 Ice




ASK02 Bone



ASK03 Mink



ASK04 Glacier




ASK05 Tundra

Mosaics



ASK01.10202MOS
Ice 2x2 Mosaic




ASK01.1POLYMOS
Ice Polygon Mosaic




ASK02.10202MOS
Bone 2 x 2 Mosaic



ASK02.1POLYMOS
Bone Polygon Mosaic



ASK03.10202MOS
Mink 2x2 Mosaic




ASK03.1POLYMOS
Mink Polygon Mosaic




ASK04.10202MOS
Glacier 2 x 2 Mosaic



ASK04.1POLYMOS
Glacier Polygon Mosaic




ASK05.10202MOS
Tundra 2 x 2 Mosaic



ASK05.1POLYMOS
Tundra Polygon Mosaic



VERIFIED BY
SCS Global Services



Wet DCOF
(UPS) 0.42 - 0.52



Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24	297 x 597	10.5	3	UPS
24 x 24	597 x 597	10.5	3	UPS
24 x 48	597 x 1197	10.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Square Mosaic*	298 x 298	10.5	3	UPS
Polygon Mosaic**	341 x 385	10.5	2	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints.
** Mounted on 13 x 15 sheet with 2mm grout joints.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 12 Cove Base	150 x 297	9.5	3	UPS
4 x 24 Single Bullnose	97 x 597	10.5	3	UPS




6 x 12 Cove Base



4 x 24 Single Bullnose

Example Sizes (Field tile available in all colors)



24 x 48



24 x 24



12 x 24



2 x 2 Square Mosaic
UPS Finish
(Mounted on a
298 x 298 mm sheet)



Polygon Mosaic
UPS Finish
(Mounted on a
341 x 385 mm sheet)

Recommended Use

Alaska is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Alaska is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**
See CrossvilleInc.com for detailed installation instructions.





Porcelain Stone
Alaska



Altered State

- Available in 5 metal inspired colors
- Cross-Sheen finish for easy cleaning
- Recommended grout joint: 3mm
- Field Tile - Rectified
- Get Planked available

Visit the website to learn more:
Crossvilleinc.com/Products/Altered-State

Altered State Porcelain Stone






Available Colors



AV341 White Hot




AV342 Steel Gaze



AV343 Acid Wash



AV344 Copper Core



AV345 Melting Point

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24	147 x 597	10.5	3	UPS
12 x 24	297 x 597	10.5	3	UPS
24 x 24	597 x 597	10.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.
Please note: Tile is directional. Please install accordingly.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 12 Mosaic*	47 x 297	10.5	3	UPS

* 2 x 12 mosaic is mounted on a 297 x 297 sheets with a 3mm grout joint. The 2 x 12 mosaic can be used in linear drain shower pans as long as the 12 inch side runs parallel to the drain.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24 Single Bullnose	147 x 597	10.5	3	UPS




6 x 24 Single Bullnose

Recommended Use


Altered State is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Altered State is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)




24 x 24




12 x 24



6 x 24



2 x 12 Mosaic



Wet DCOF
(UPS) 0.42 - 0.52



Argent

- Broad coordinating color palette provides dramatic design versatility
- Rectangular sizes are enhanced with Get Planked options
- Cross-Sheen finish for easy cleaning (UPS only)
- Honed colors available in stock as 12 x 24
- All field tiles except 12 x 12* are rectified with a minimum recommended 3 mm grout joint
- *12 x 12 is calibrated with a recommended minimum grout joint of 3/16 inch.
- Get Planked available

Visit the website to learn more:
Crossvilleinc.com/Products/Argent



Wall: **Argent** | A1410 Orange Crush | A1419 Muddy Waters
Floor: **Argent** | A1403 No Reservations
Regal Cinemas Three Rivers
Designed by: BB Architects, Inc.

Available Colors



A1401 Winter Garden I
UPS/HON



A1402 Sacred Sand I
UPS/HON



A1403 No Reservations I
UPS/HON



A1404 Cowboy Up I
UPS/HON



A1405 Hollywood and Vine II
UPS/HON



A1406 Emerald City II
UPS/HON



A1407 Water Vapors II
UPS/HON



A1408 Glacier Lake II
UPS/HON



A1409 Lemon Drop II
UPS/HON



A1410 Orange Crush III
UPS/HON



A1411 Sunset Boulevard III
UPS/HON



A1412 Chicago Fire III
UPS/HON



A1413 Under the Sea I
UPS/HON



A1414 Carnegie Cool III
UPS/HON



A1415 Memphis Blues III
UPS/HON



A1416 Grapes of Wrath III
UPS/HON



A1417 Clean Slate II
UPS/HON



A1418 Concrete Jungle I
UPS/HON




A1419 Muddy Waters I
UPS/HON



A1420 On the Rocks II
UPS/HON

Price Groups

I	Group I
II	Group II
III	Group III



Wet DCOF
(UPS) 0.50 – 0.60
(HON) 0.42 – 0.52



Sizes & Finishes

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 6*	147 x 147	9.5	3	UPS
6 x 24*	147 x 602.5	9.5	3	UPS
12 x 24	299 x 602.5	9.5	3	UPS/HON

HON (Honed finish) is semi-polished.

All field tiles except 12 x 12* are rectified. Crossville recommends a minimum 3mm grout joint. 12 x 12 is non-rectified, Crossville recommends a minimum 3/16" grout joint.

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
12 x 12*†	11-13/16 x 11-13/16	9.5	3/16	UPS

* HON finish available through special order.

† Calibrated and measured in inches.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 12 Cove Base*	147 x 299	9.5	3	UPS
4 x 12 Bullnose	96 x 299	9.5	3	UPS




6 x 12 Cove Base (Universal, flat top)



4 x 12 Single Bullnose All colors

* Available only in A1401, A1402, A1403, A1404, A1417, A1418, A1419, and A1420

Example Sizes (Field tile available in all colors)



12 x 24



6 x 24



12 x 12



6 x 6

Recommended Use

Argent is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Argent is not recommended for exterior horizontal surfaces or exterior paving. **The honed (semi-polished) field tile is not recommended for wet areas. If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.





Porcelain Stone
Argent



Basalt

- Competitively priced for exceptional value
- Cross-Sheen finish for easy cleaning
- Recommended grout joint: 3/16"
- Inspired by genuine basalt volcanic rock
- Finely grained with subtle undertones of crystallized magma
- Field Tile - Calibrated

Visit the website to learn more:
Crossvilleinc.com/Products/Basalt



Available Colors



AV291 Silica



AV292 Caldera



AV293 Bedrock



AV294 Mafic



AV295 Magma

Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
12 x 12	11-13/16 x 11-13/16	3/8	3/16	UPS
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS

All field tile is calibrated (non-rectified).
Crossville recommends a minimum 3/16" grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 12 Bullnose	3-13/16 x 11-13/16	3/8	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS



6 x 12 Cove Base




4 x 12 Bullnose

Recommended Use


Basalt is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Basalt is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommended an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)




12 x 24



12 x 12



POWERED BY
DCT Global Services



Wet DCOF
(UPS) 0.50 - 0.60



Bluestone

- UPS and honed finishes add to design versatility
- Cross-Sheen finish for easy cleaning (UPS only)
- Recommended grout joint: 3mm
- Field Tile - Rectified

Visit the website to learn more:
Crossvilleinc.com/Products/Bluestone



Available Colors



AV201 Colorado Buff UPS



AV202 Arizona Brown UPS



AV203 Pennsylvania Blue UPS



AV204 Vermont Black UPS



AV201 Colorado Buff HON



AV202 Arizona Brown HON



AV203 Pennsylvania Blue HON



AV204 Vermont Black HON

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 6	147 x 147	10.5	3	UPS/HON
6 x 24	147 x 597	10.5	3	UPS/HON
12 x 12	297 x 297	10.5	3	UPS/HON
12 x 24	297 x 597	10.5	3	UPS/HON
24 x 24	597 x 597	10.5	3	UPS/HON

Note: All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.
HON (Honed finish) is semi-polished.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2*	47 x 47	10.5	3	UPS
3 x 6**	72 x 147	10.5	3	HON
Random***			3	
2 x 2	47 x 47	10.5	3	UPS/HON Mixed
2 x 4	47 x 97	10.5	3	UPS/HON Mixed
2 x 6	47 x 147	10.5	3	UPS/HON Mixed

* 2 x 2 mosaic tile mounted on 297 x 297 sheets.
** 3 x 6 mosaic tile mounted on 297 x 372 sheets (staggered joints).
*** 2 x 2, 2 x 4 and 2 x 6 mosaic tile mounted on 297 x 322 sheets.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 12 Single Bullnose	97 x 297	10.5	3	UPS/HON
6 x 12 Cove Base	150 x 297	9.5	3	UPS
6 x 8 Cove Base Corners Left & Right	150 x 200	9.5	3	UPS



6 x 12 Cove Base
(Universal flat top)



4 x 12 Single Bullnose



6 x 8 Cove Base Corner Left
(Flat Top)




6 x 8 Cove Base Corner Right
(Flat Top)

Recommended Use

Bluestone is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Bluestone is not recommended for exterior horizontal surfaces or exterior paving. **The honed (semi-polished) field tile is not recommended for wet areas where standing water may occur. If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**


See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)



Wet Area Use for Mosaic

See Tile Performance Data chart.



Wet DCOF	
(UPS)	0.50 – 0.60
(HON)	0.42 – 0.52



Classic Grooves

- Swirling surface glints and glows with a soft, sophisticated sheen.
- A wide variety of accents and mosaics
- Cross-Sheen finish for easy cleaning
- Recommended grout joint: 3mm
- Field Tile - Rectified

Visit the website to learn more:

Crossvilleinc.com/Products/Classic Grooves



Floor: **Classic Grooves** | CGR04 Turntable 24 x 24
Bar Front: **Classic Grooves** | CGR04 Turntable Palm Mosaic
Countertop: **Crossville Porcelain Slabs** | PC010 Night Watch

Available Colors



CGR01 Forty-Five



CGR02 B-Side



CGR03 Liner Notes



CGR04 Turntable




CGR05 Sleeve


2 x 2 Square Mosaics



CGR01 Forty-Five



CGR02 B-Side UPS



CGR04 Turntable




CGR05 Sleeve




CGR03 Liner Notes


2 x 2 Square Mosaics




CGR01 Forty-Five Palm Mosaic



CGR02 B-Side UPS Palm Mosaic




CGR03 Liner Notes Palm Mosaic



CGR04 Turntable Palm Mosaic




CGR05 Sleeve Palm Mosaic



Detail of the surface finish. (CGR04 Turntable shown).

Detail of Cover Art Cool 3 x 12 Quadraphonic



Detail of Cover Art Cool 3 x 12 Deco



3 x 12 Deco Trim



CGRAC.10312UP
Cover Art Cool 3 x 12 UP



CGRAW.10312UP
Cover Art Warm 3 x 12 UP



CGRQC.10312UP
Quadraphonic Cool 3 x 12 UP



CGRQW.10312UP
Quadraphonic Warm 3 x 12 UP





Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24	297 x 597	9.5	3	UPS
24 x 24	597 x 597	9.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Square Mosaic*	298 x 298	9.5	3	UPS
Palm Mosaic**	370 x 345	9.5	2	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints

** Mounted on 15 x 14 sheet with 2mm grout joints

† Due to this mosaic's design, caution should be used when installing on surfaces that might contact bare skin or other delicate materials. To prevent possible injury or damage from sharp corners that might be exposed above the grout line, install per ANSI 108 guidelines in order to minimize or prevent lippage.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
3 x 12 Accent Trim	72 x 297	9.5	2	UP
6 x 12 Cove Base	150 x 297	9.5	3	UPS
4 x 24 Single Bullnose	96 x 597	9.5	3	UPS



6 x 12 Cove Base




4 x 24 Single Bullnose

Recommended Use

Classic Grooves is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Alaska is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Field tile available in all colors)



24 x 24



12 x 24



2 x 2 Square Mosaic
UPS Finish
(Mounted on a 12 x 12 sheet)



Plan Mosaic†
UPS Finish
(Mounted on a 370 x 345 mm sheet)

† Due to this mosaic's design, caution should be used when installing on surfaces that might contact bare skin or other delicate materials. To prevent possible injury or damage from sharp corners that might be exposed above the grout line, install per ANSI 108 guidelines in order to minimize or prevent lippage.





Porcelain Stone
Classic Grooves



Color Blox 2.0 Porcelain Stone

Color Blox[®] 2.0

- Each color coordinates with at least 2-3 other colors
- Subtle variations in texture and shading add visual interest
- Cross-Sheen finish for easy cleaning (UPS only)
- Field Tile - Calibrated
- Crossville recommends a minimum grout joint of 3/16" for field tile and 1/8" for mosaic

Visit the website to learn more:

CrossvilleInc.com/Products/Color-Blox-2-0



Available Colors



CBX01 Sandbox




CBX03 Slinky



CBX07 Mud Pie




CBX08 Sea Otter



CBX14 Tree House



CBX13 Blue Suede Shoes



CBX17 I See the Moon



CBX31 Cotton Sheets



CBX32 Boot Black



CBX33 Wet Clay



CBX34 Spring Sage



CBX35 Celestial Horizon



CBX36 Just Ducky




CBX37 Cayenne



CBX38 Little Boy Blue



Color Blox® 2.0 | CBX36 Just Ducky, CBX31 Cotton Sheets, CBX35 Celestial Horizon and CBX38 Little Boy Blue



Wet DCOF (UPS) 0.50 – 0.60 Field Tile



Sizes & Finishes

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
4 x 12*†	3-13/16 x 11-13/16	9.5	3/16	UPS
6 x 6	5-13/16 x 5-13/16	9.5	3/16	UPS
12 x 12	11-13/16 x 11-13/16	9.5	3/16	UPS
12 x 24	11-13/16 x 23-13/16	9.5	3/16	UPS
24 x 24**	23-13/16 x 23-13/16	10.5	3/16	UPS

All field tile is calibrated (non-rectified).

Crossville recommends a minimum 3/16" grout joint.

* Custom Cut Program. Allow 2-4 weeks based on availability for delivery.

† The cut/bevel tile is cut from larger format tile and the edges are beveled to provide a factory appearance.

** 24 x 24 is available in these colors only: CBX01, CBX03, CBX07, CBX08, CBX14, CBX17, CBX31, CBX32 and CBX33

MOSAICS

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
3 x 3*	2-7/8 x 2-7/8	6.4	1/8	UPS

* 3 x 3 Mosaic Tile in 11-3/4 x 11-3/4 sheets with a 1/4 inch grout joint.

COORDINATING TRIM

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
3 x 3 Mounted Bullnose 1 Linear Foot	2-7/8 x 2-3/4	6.4	1/8	UPS
3 x 3 Bullnose Corner	2-7/8 x 2-7/8	6.4	1/8	UPS
3 x 3 Mounted Cove Base 1 Linear Foot	3-5/8 x 11-3/4	6.4	1/8	UPS
4 x 24 Single Bullnose	3-13/16 x 23-13/16	9.5	3/16	UPS
4 x 12 Bullnose Corner Left & Right	3-13/16 x 11-13/16	9.5	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	9.5	3/16	UPS
6 x 8 Cove Base Corner Left & Right	5-7/8 x 7-3/4	9.5	3/16	UPS



4 x 24 Single Bullnose



4 x 12 Bullnose Corner Left



4 x 12 Bullnose Corner Right



3 x 3 Mounted Bullnose 1 Linear Foot



3 x 3 Bullnose Corner



6 x 12 Cove Base (Universal, Flat Top)



6 x 8 Cove Base Corner Left (Flat Top)




6 x 8 Cove Base Corner Right (Flat Top)




3 x 3 Mounted Cove Base 1 Linear Foot (Flat Top)

Example Sizes (Field tile available in all colors)



24 x 24




12 x 24



12 x 12



6 x 6



3 x 3 Mosaic



4 x 12 (Custom Cut)

Wet Area Use for Mosaic

See Tile Performance Data chart.

Recommended Use

Color Blox® 2.0 is recommended for interior floors, walls, countertops, and exterior walls in both commercial and residential applications. Color Blox is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.







Cross-Colors[®]

- A variety of textures and finishes
- Numerous trim options available
- Field Tile - Calibrated
- Contemporary color palette designed by one of the industry's top color forecasters
- Recommended grout joint: 3/16"

Visit the website to learn more:

CrossvilleInc.com/Products/Cross-Colors-Mingles

Cross-Colors Porcelain Stone







Available Colors




A750 Brown Tweed*



A790 Burgundy Smoke*



A675 Stonehenge*



A233 Sand Bisque*




A825 Mercury*




A900 Mica*



A850 Graphite*



A880 Onyx*



R001 Grey Mingle

* Cross-Sheen® finish for easy cleaning available on UPS only.

Sizes & Finishes

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
6 x 6 (cut/bevel)*	5-3/4 x 5-3/4	5/16	3/16	UPS/PO/CS
8 x 8	7-3/4 x 7-3/4	5/16	3/16	UPS/CS/CTS
12 x 12	11-3/4 x 11-3/4	5/16	3/16	UPS/PO/CS


This tile is calibrated (non-rectified)

Crossville recommends a minimum 3/16" grout joint.

* These colors are inventoried in cut/bevel 6 x 6, UPS finish, at Crossville. All other 6 x 6 Polished and Cross-Slate tiles are special order.

Note: The cut/bevel tile is cut from larger format tile and the edges are beveled to provide a factory appearance. Please allow two to eight weeks for delivery depending on Crossville's production schedule.

Example Sizes (Field tile available in all colors)



12 x 12



8 x 8




6 x 6

COORDINATING TRIM

Trim Program (available in UPS finish only)

Size	6 x 8 Cove Base(in)	1 x 6 Inside Cove Base Corners(in)	6 x 8 Left & Right Cove Base Corner(in)	4 x 8 Bullnose(in)	4 x 8 Left & Right Bullnose Corners(in)	4 x 8 Bullnose Stair Tread(in)
Actual	5-7/8 x 7-3/4	1 x 5-7/8	5-7/8 x 7-3/4	3-7/8 x 7-3/4	3-7/8 x 7-3/4	3-7/8 x 7-3/4
Thickness	5/16	—	5/16	5/16	5/16	5/16



Cove Base (Standard, round top)



Inside Cove Base Corner



Cove Base Corner - Left (Round Top)



Cove Base Corner - Right (Round Top)




Bullnose



Left Bullnose Corner



Right Bullnose Corner




Bullnose Stair Tread

Recommended Use

Cross-Colors (UPS) is recommended for interior floors, walls, countertops, and exterior walls in both commercial and residential applications. Cross-Colors (PO) is recommended for interior floors (except where standing water may occur), walls, countertops and exterior walls in both residential and commercial environments.

See CrossvilleInc.com for detailed installation instructions.



Wet DCOF
(UPS) 0.50 - 0.60
(PO) 0.31 - 0.41

Crossville offers designers, architects, and builders the utilitarian textures to answer the specific needs of those areas with the highest exposure. These textures are an integral part of the tile and cannot be worn down. No matter how technical the specifications, we have a surface that is highly functional, yet able to blend beautifully with any design application. Please refer to the Tile Performance Data chart in the back of this catalog for actual tile performance details.



Unpolished (UPS)

Cross-Sheen finish imparts a subtle glow to an unpolished surface that enhances color and allows scuffs, stains, and even permanent marker and graffiti to be easily removed. Unpolished with Cross-Sheen finish is appropriate high-traffic interior floors and walls where low maintenance is desired. Unpolished with Cross-Sheen finish is not recommended for wet areas where standing water may occur or for exterior horizontal and/or walking surfaces.




Polished (PO)

Polished Porcelain Stone is a practical alternative to natural stone with its attractive, mirror-like finish and can be used with other surface textures to increase visual interplay and interest. Polished finish adds a look of elegance and sophistication to interior floors and interior and exterior walls. Polished finish is not recommended for wet areas where standing water may occur or for exterior horizontal and/or walking surfaces.



Cross-Slate® (CS)

The Cross-Slate finish combines the rustic and textured feel of slate with the through-body color and durability of Porcelain Stone for strong commercial value where enhanced traction is needed. Cross-Slate is recommended for high-traffic interior and exterior walking surfaces in both residential and commercial environments.




Cross-Tread® (CTS)

Enhanced traction and ease of maintenance make this texture a suitable choice for wet and greasy interior floor areas and exterior walking surfaces. The Cross-Tread surface pattern is eye-catching, making it a great option for transitional areas and for use as an accent tile.

Wet DCOF			
Unpolished	(UPS)	Cross-Tread®	(CTS)*
0.50 – 0.60		0.50 – 0.60	
Polished	(PO)	Cross-Slate®	(CS)
0.31 – 0.41		0.50 – 0.60	

*The increased real world traction of these types of surfaces cannot be fully realized by our current DCOF testing methodologies due to their exaggerated facial structure.







Empire

- All colors available in polished and unpolished finishes
- Extensive selection of trim, including unique 6 x 12 cove base
- Sizes rectified to mix and match a variety of patterns
- Field Tile - Rectified
- Recommended grout joint: 3mm

Visit the website to learn more:
CrossvilleInc.com/Products/Empire

Empire Porcelain Stone





Available Colors



VS75 Cadet White UP



VS81 Palais Taupe UP



VS85 General's Grey UP



VS87 Empress Silver PO



VS86 Black Swan UP




VS75 Cadet White PO



VS81 Palais Taupe PO



VS85 General's Grey PO



VS87 Empress Silver UP



VS86 Black Swan PO

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 12	297 x 297	10.5	3	UP/PO
12 x 24	297 x 597	10.5	3	UP/PO
24 x 24	597 x 597	10.5	3	UP/PO

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	297 x 297	10.5	3	UP

* 2 x 2 mosaic mounted on 297 x 297 sheets with a 3mm grout joint. UP finish only.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	10	3	PO, UP
6 x 12 Cove Base	150 x 298	9.5	3	UP
6 x 8 Cove Base Corner Left & Right	150 x 200	9.5	3	UP



4 x 24 Single Bullnose



6 x 12 Cove Base
(Universal, Flat Top)



6 x 8 Cove Base
Corner Left
(Flat Top)



6 x 8 Cove Base
Corner Right
(Flat Top)

Recommended Use


Empire is recommended for interior floors, walls, countertops, and exterior walls. Empire is not recommended for exterior horizontal surfaces or exterior paving. The polished finish is not recommended for wet areas where standing water may occur. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Wet Area Use for Mosaic

See Tile Performance Data chart.


Example Sizes (Available in all colors)




24 x 24



12 x 24



12 x 12



2 x 2 Mosaic
Mounted to a 297 x297
sheet - UP only



Wet DCOF	
(UP)	0.42 - 0.52
(PO)	0.22 - 0.32



Familiar Territory[®]

- Multi-directional striations for a subtle stone look
- Available in Cross-Sheen and semi-polished (SPO) finishes
- Coordinating trim and 2 x 2 mosaic
- Field Tile - Calibrated
- Recommended grout joint: 3mm
- Get Planked available

Visit the website to learn more:

Crossvilleinc.com/Products/Familiar-Territory

Familiar Territory Porcelain Stone



Available Colors




FAM01 Crème UPS/SPO




FAM02 Taupe UPS/SPO




FAM03 Sand UPS/SPO



FAM04 Mahogany UPS/SPO



FAM05 Iron UPS/SPO



Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS/SPO

All field tile is calibrated (non-rectified).
Crossville recommends a minimum 3/16" grout joint.

MOSAICS

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	11-15/16 x 11-15/16	3/8	3	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 24 Single Bullnose	3-13/16 x 23-13/16	3/8	3/16	UPS/SPO
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS



6 x 12 Cove Base




4 x 24 Single Bullnose

Recommended Use


Familiar Territory is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Familiar Territory is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)



12 x 24




2 x 2 Square Mosaic
UPS Finish
(Mounted on a 12 x 12 sheet.)

Wet Area Use for Mosaic

See Tile Performance Data chart.



MEMBER OF ICS Global Services



Wet DCOF	
(UPS)	0.50 – 0.60
(SPO)	0.42 – 0.52



Gotham Porcelain Stone

Gotham[®]


- Competitively priced for exceptional value
- Replicates the look of concrete in six different shades
- Cross-Sheen finish for easy cleaning (UPS only)
- Trim includes a 4 x 24 single bullnose and 6 x 12 cove base with universal flat top
- Field Tile - Calibrated
- Recommended grout joint: 3/16"

Visit the website to learn more:
Crossvilleinc.com/Products/Gotham





Available Colors



AV321 Lamp Post



AV322 Penthouse



AV323 Clock Tower



AV324 Mainline



AV325 Dockside



AV326 Pavement

Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
2 x 6	1-13/16 x 5-13/16	3/8	3/16	UPS
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS

All field tile is calibrated (non-rectified).
Crossville recommends a minimum 3/16" grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 24 Single Bullnose	3-13/16 x 23-13/16	3/8	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS




6 x 12 Cove Base
(Universal, flat top)



4 x 24 Single Bullnose

Example Sizes (Field tile available in all colors)



12 x 24




2 x 6

Recommended Use

Gotham is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Gotham is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommended an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.



Wet DCOF
(UPS) 0.50 - 0.60



Java Joint Porcelain Stone

Java Joint

- Competitively priced for exceptional value
- Complete trim package including mosaic suitable for shower floor
- Cross-Sheen finish for easy cleaning
- Field Tile - Calibrated
- Recommended grout joint: 3/16"

Visit the website to learn more:
Crossvilleinc.com/Products/Java-Joint

Available Colors



JAV01 Two Sugars



JAV02 Flat White



JAV03 House Blend



JAV04 Fresh Ground



JAV05 French Press

Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS

All field tile is calibrated (non-rectified).
Crossville recommends a minimum 3/16" grout joint.

MOSAICS

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
2 x 2 Mosaic*	11-3/4 x 11-3/4	3/8	3/16	UPS

* Mounted on 11-3/4 x 11-3/4 sheets.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 24 Single Bullnose	3-13/16 x 23-13/16	3/8	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS



6 x 12 Cove Base
(Universal, flat top)




4 x 24 Single Bullnose

Recommended Use


Java Joint is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Java Joint is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)




12 x 24



2 x 2 Mosaic*

Wet Area Use for Mosaic

See Tile Performance Data chart.



Wet DCOF (UPS) 0.42 - 0.52



Jazz Age[®]

- The look of aged hardwood with authentic, timeworn patina
- Coordinating trim and mosaic for fully-furnished style
- Field Tile - Rectified
- Recommended grout joint: 3mm

Visit the website to learn more:
Crossvilleinc.com/Products/Jazz-Age



Available Colors


8 x 48




JAZ01 Louis



JAZ02 Duke



JAZ03 Count






JAZ04 Billie

Herringbone Mosaic



2 x 2 Mosaic



Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
8 x 48	197 x 1196	10	3	UP

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2*	299 x 299	10	3	UP
Herringbone**	295 x 341	10	3	UP

* Mounted on 12 x 12 sheet with 4.3mm grout joints.
** Mounted on 12 x 15 sheet with 2.5mm grout joints.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	10	3	UP
6 x 12 Cove Base	147 x 297	9.5	3	UPS†

† Manufactured in the USA



6 x 12 Cove Base



4 x 24 Single Bullnose

Recommended Use


Jazz Age is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Jazz Age is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)



8 x 48




2 x 2 Mosaic
(Mounted on a 299 x 299 sheet)



Herringbone Mosaic
(Mounted on a 295 x 341 sheet)

Wet Area Use for Mosaic

See Tile Performance Data chart.



Wet DCOF
(UP) 0.42 - 0.52





Main Street

- Ideal for commercial settings
- High Wet DCOF and low maintenance
- Cross-Sheen finish for easy cleaning (UPS only)
- Field Tile - Calibrated
- Recommended grout joint: 3/16"

Main Street Porcelain Stone

Visit the website to learn more:
Crossvilleinc.com/Products/Main-Street



Available Colors



AV211 Cinema Champagne



AV212 Café Caramel



AV213 Bistro Brown



AV214 Gallery Grey



AV215 Boutique Black

Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Thickness (in)	Finish
6 x 6†	5-13/16 x 5-13/16	3/8	3/16	UPS
6 x 18†	5-13/16 x 17-13/16	3/8	3/16	UPS
12 x 12	11-13/16 x 11-13/16	3/8	3/16	UPS
18 x 18	17-13/16 x 17-13/16	3/8	3/16	UPS

† The cut/bevel tile is cut from larger format tile and the edges are beveled to provide a factory appearance. Please allow two to eight weeks for delivery depending on Crossville's production schedule. All field tile is calibrated (non-rectified). Crossville recommends a minimum 3/16" grout joint.

MOSAICS

Nominal (in)	Actual (in)	Thickness (in)	Thickness (in)	Finish
2 x 2 Mosaic*	11-13/16 x 11-13/16	3/8	3/16	UPS

* 2 x 2 mosaic tile mounted on 11-13/16 x 11-13/16 sheets.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Thickness (in)	Finish
4 x 12 Single Bullnose	3-13/16 x 11-13/16	3/8	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS



6 x 12 Cove Base
(Universal, flat top)




4 x 12 Single Bullnose

Recommended Use

Main Street is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Main Street is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**


See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all colors)




18 x 18

6 x 18



12 x 12



2 x 2 Mosaic*



6 x 6

Wet Area Use for Mosaic

See Tile Performance Data chart.



Wet DCOF
(UPS) 0.58 - 0.68



Moonstruck

- Available in the 18 x 36 format
- Available in UPS or Honed Finish
- Cross-Sheen finish for easy cleaning (UPS only)
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Get Planked available

Visit the website to learn more:
Crossvilleinc.com/Products/Moonstruck

Moonstruck Porcelain Stone



Available Colors



AV301 Juno UPS/HON



AV302 Luna UPS/HON



AV303 Kosmos UPS/HON



AV304 Gemini UPS/HON



AV305 Apollo UPS/HON

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24	297 x 597	10.5	3	UPS/HON
18 x 36	447 x 897	10.5	3	UPS/HON

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	96 x 597	10.5	3	UPS/HON




4 x 24 Single Bullnose


Recommended Use

Moonstruck is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Moonstruck is not recommended for exterior horizontal surfaces or exterior paving. **The honed (semi-polished) field tile is not recommended for wet areas. If offset pattern is required for tiles 15 inches or longer, Crossville recommended an offset of not greater than 33%.** See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Field tile available in all colors)



18 x 36



12 x 24



Wet DCOF
(UPS) 0.50 - 0.60
(HON) 0.42 - 0.52



Multiplier

- Competitively priced for exceptional value
- 3 colors, three sizes and 2 finishes help grow your creativity
- Mesh mounted for easy installation

Visit the website to learn more:
CrossvilleInc.com/Products/Multiplier



Sizes & Finishes (Available in all colors)

FIELD TILE

	Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2" Square*	2 x 2	47.5 x 47.5	6	2.6	Gloss/Matte
2" Hex**	2 x 2	47.5 x 47.5	6	2.6	Gloss/Matte
3/4" Penny Round***	0.75 (diameter)	19 (diameter)	6	2.0	Gloss/Matte

* 2" Square is mounted on a 301 x 301 sheet.

** 2" Hex is mounted on a 272 x 326 sheet.

*** 3/4" Penny Round is mounted on a 292 x 324 sheet.

† 2" Hex tile measures 47.5mm from one straight edge to the opposing parallel edge.


Recommended Use*

Multiplier tile is recommended for Interior Floors Dry, Interior Walls Dry, Interior Walls Wet, Exterior Walls, Exterior Covered Walls, Pool/Fountain Lining, Waterline Pool/Fountain, Countertops in residential and commercial applications.


* The tile applications featured in this publication are for illustration purposes only and are not intended as a representation or warranty of the suitability of Crossville Tile for any particular application. Specifically, tile selection for wet applications (such as shower or bathroom floors) requires careful consideration of the unique nature of the design and installation. For instance, the industry standard for tile used on level interior surfaces is a dynamic coefficient of friction (DCOF) value of 0.42 or greater; however, the use of small (2" or less) mosaics with lower DCOF values may nonetheless be acceptable for projects with an increased number of grout joints, along with the presence of other surface structures that provide both traction and a means for water to drain and dissipate from the area. It is the sole responsibility of each end user to consult with a design professional to determine and select the most suitable flooring for a particular project.

See CrossvilleInc.com for detailed installation instructions.


Example Sizes



2" Square Mosaic




3/4" Penny Round Mosaic



2" Hex Mosaic



Shower Walls: **Multiplier** | MTP03 Dark Grey 3/4" Penny Round Gloss
 Floors: **Multiplier** | MTP01 White 3/4" Penny Round Matte, MTP03 Dark Grey 3/4" Penny Round Matte




Wet DCOF	
Gloss	<0.42
Matte	<0.42



Available Gloss Colors



MTP01 White 2" Square Gloss




MTP01 White 3/4" Penny Round Gloss




MTP01 White 2" Hex Gloss




MTP02 Grey 2" Square Gloss




MTP02 Grey 3/4" Penny Round Gloss



MTP02 Grey 2" Hex Gloss



MTP03 Dark Grey 2" Square Gloss



MTP03 Dark Grey 3/4" Penny Round Gloss




MTP03 Dark Grey 2" Hex Gloss

Available Matte Colors



MTP01 White 2" Square Matte




MTP01 White 3/4" Penny Round Matte



MTP01 White 2" Hex Matte




MTP02 Grey 2" Square Matte




MTP02 Grey 3/4" Penny Round Matte



MTP02 Grey 2" Hex Matte



MTP03 Dark Grey 2" Square Matte



MTP03 Dark Grey 3/4" Penny Round Matte



MTP03 Dark Grey 2" Hex Matte



Nest[®]

- Coordinates with Notorious for additional design opportunities
- Two grains replicate rough cut oak and the simplicity of olive wood
- Combine the 1 x 6 sheet mounted mosaic and 3 x 15 planks for a unique parquet look
- Cross-Sheen finish for easy cleaning
- Field Tile - Rectified
- Recommended grout joint: 3mm

Visit the website to learn more:
CrossvilleInc.com/Products/Nest

Nest Porcelain Stone

Available Colors

Oak



AV351 Levity Oak



AV352 Joyous Oak



AV353 Blissful Oak




AV354 Mindful Oak



AV355 Peaceful Oak



AV356 Slumber Oak



AV357 Meditative Oak

Olive




AV361 Levity Olive




AV362 Joyous Olive




AV363 Blissful Olive




AV364 Mindful Olive




AV365 Peaceful Olive



AV366 Slumber Olive



AV367 Meditative Olive



Wet DCOF (UPS) 0.42 - 0.52



1 x 6 Mosaic



NBC01 - Levity in Oak and Olive



NBC02 - Joyous in Oak and Olive



NBC03 - Blissful in Oak and Olive




NBC04 - Mindful in Oak and Olive



NBC05 - Peaceful in Oak and Olive



NBC06 - Slumber in Oak and Olive



NBC07 - Meditative in Oak and Olive



NBC08 - Levity, Blissful, and Mindful in Olive

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
3 x 15	72 x 372	10.5	3	UPS
6 x 36	147 x 897	10.5	3	UPS
8 x 36	197 x 897	10.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
1 x 6 Mosaic*	297 x 297	10.5	3	UPS

* 1 x 6 mosaic mounted on 297 x 297 sheets with a 3mm grout joint.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 18 Single Bullnose	147 x 447	10.5	3	UPS
6 x 12 Cove Base (Olive only)	150 x 297	9.5		UPS



6 x 18 Single Bullnose




6 x 12 Cove Base
(Universal, Flat Top)

Recommended Use

Nest is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Nest is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Available in all colors)




8 x 36



6 x 36



3 x 15



12 x 12





Notorious[®]

- Coordinates with Nest and Crossville Porcelain Countertops for additional design opportunities
- Complete trim package including mosaic suitable for shower floors
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Cross-Sheen finish for easy cleaning
- Get Planked available

Visit the website to learn more:
CrossvilleInc.com/Products/Notorious





Available Colors



NTR01 Femme Fatale UPS/HON *



NTR02 Private Eye UPS/HON



NTR03 Sugar Daddy UPS/HON



NTR04 Suspense UPS/HON *



NTR05 Leading Man UPS/HON



NTR06 Film Noir UPS/HON *

* Coordinates with Crossville Porcelain Countertops

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
3 x 15	72 x 372	10.5	3	UPS
12 x 12	297 x 297	10.5	3	UPS/HON
12 x 24	297 x 597	10.5	3	UPS/HON
24 x 24	597 x 597	10.5	3	UPS/HON
24 x 36	597 x 897	10.5	3	UPS/HON

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
Mixed Mosaic*	297 x 297	10.5	3	UPS

* Mixed Mosaic mounted on 297 x 297 sheet.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 12 Single Bullnose	97 x 297	10.5	3	UPS/HON**
6 x 12 Cove Base	150 x 297	9.5	3	UPS

** HON finish is special order only.



6 x 12 Cove Base
(Universal, flat top)




4 x 12 Single Bullnose

Recommended Use

Notorious is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Notorious is not recommended for exterior horizontal surfaces or exterior paving. **The honed (semi-polished) field tile is not recommended for wet areas. If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Field tile available in all colors)



24 x 36



24 x 24




12 x 24




3 x 15

12 x 12



Mixed Mosaic*
comprised of
1 x 4 and 2 x 4
tiles



Wet DCOF
 (UPS) 0.50 - 0.60
 (HON) 0.42 - 0.52



Owen Stone

- Unique Crossville Mosaic
- Leathered finish offers a buttery, cashmere like feel unique to Crossville
- Exterior finish available to allow for seamless transitions to outdoors
- Field Tile - Rectified
- Recommended grout joint: 3mm


Visit the website to learn more:
CrossvilleInc.com/Products/Owen-Stone



Available Colors




OST01 Down




OST02 Bunny




OST03 Slipper



OST04 Mittens



OST05 Sable



OST06 Teddy


Available Colors



OST01.10202LMOS
Down
2 x 2 Mosaic



OST03.10202LMOS
Slipper
2 x 2 Mosaic



OST05.10202LMOS
Sable
2 x 2 Mosaic



OST01.1CRSLMOS
Down
Crossville Mosaic†



OST03.1CRSLMOS
Slipper
Crossville Mosaic†




OST05.1CRSLMOS
Sable
Crossville Mosaic†



OST02.10202LMOS
Bunny 2 x 2 Mosaic



OST04.10202LMOS
Mittens
2 x 2 Mosaic



OST06.10202LMOS
Teddy
2 x 2 Mosaic



OST02.1CRSLMOS
Bunny
Crossville Mosaic†




OST04.1CRSLMOS
Mittens
Crossville Mosaic†



OST06.1CRSLMOS
Teddy
Crossville Mosaic†



Detail of the Leather
(LTR) surface finish.
(OST04 Mittens shown)



Wet DCOF
(LTR) 0.42 – 0.52
(EXT) 0.60 – 0.70

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24*	297 x 597	10.5	3	LTR/EXT
24 x 24	597 x 597	10.5	3	LTR/EXT
24 x 48	597 x 1197	10.5	3	LTR

Field tile is rectified with a minimum 3mm grout joint
 * Extended lead time on 12 x 24 EXT finish.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	298 x 298	10.5	3	LTR
Crossville Mosaic†	217 x 372	10.5	2	LTR

* Mounted on 12 x 12 sheet with 3mm grout joints.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	96 x 597	10.5	3	UPS
6 x 12 Cove Base	150 x 297	9.5	3	LTR



6 x 12 Cove Base




4 x 24 Single Bullnose

Recommended Use


Owen Stone is recommended for interior floors, walls, countertops and exterior walls in both residential and commercial applications. Owen Stone EXT is recommended for exterior floors and walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes




24 x 48



24 x 24



12 x 24



2 x 2 Square Mosaic
 UPS Finish
 (Mounted on a 12 x 12 sheet)



Crossville Mosaic†
 UPS Finish
 (Mounted on a 217 x 372 mm sheet)

† Due to this mosaic's design, caution should be used when installing on surfaces that might contact bare skin or other delicate materials. To prevent possible injury or damage from sharp corners that might be exposed above the grout line, install per ANSI 108 guidelines in order to minimize or prevent lippage.



Floor: **OST02** ▶ Bunny 24 x 24 LTR and 2 x 2 Mosaic Border Wall: **OST02** ▶ Bunny 24 x 48 LTR
 Stall Walls: Ossido Nero L7032 5.6 Countertop: Slabs Black Tie Polished PC009



Porcelain Stone

Owen Stone



Portugal

- Unique Crossville Mosaic
- Exterior finish available to allow for seamless transitions to outdoors
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Cross-Sheen finish for easy cleaning

Visit the website to learn more:
[CrossvilleInc.com/Products/Portugal](https://www.crossvilleinc.com/Products/Portugal)

Portugal | Porcelain Stone



Available Colors



PTG01 Velho White



PTG02 Grand Rosé



PTG03 Venho Verde



PTG04 Tinta Negra



PTG05 Harvest Tawny



PTG06 Madeira Reserve

Available Mosaics



PTG01.10202UMOS
Velho White
2 x 2 Mosaic



PTG02.10202UMOS
Grand Rosé
2 x 2 Mosaic



PTG03.10202UMOS
Venho Verde
2 x 2 Mosaic



PTG01.1CRSUMOS
Velho White
Crossville Mosaic†




PTG02.1CRSUMOS
Grand Rosé
Crossville Mosaic†




PTG03.1CRSUMOS
Venho Verde
Crossville Mosaic†



PTG04.10202UMOS
Tinta Negra
2 x 2 Mosaic



PTG05.10202UMOS
Harvest Tawny
2 x 2 Mosaic




PTG06.10202UMOS
Madeira Reserve
2 x 2 Mosaic



PTG04.1CRSUMOS
Tinta Negra
Crossville Mosaic†



PTG05.1CRSUMOS
Harvest Tawny
Crossville Mosaic†




PTG06.1CRSUMOS
Madeira Reserve
Crossville Mosaic†

Detail of the
UPS surface finish.
(PTG04 Tinta Negra shown)



Detail of the
EXT surface finish.
(PTG04 Tinta Negra shown)



Wet DCOF	
(UPS)	0.50 – 0.60
(EXT)	0.60 – 0.70



Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24†	147 x 597	10.5	3	UPS
12 x 24†	297 x 597	10.5	3	UPS/EXT
24 x 24	597 x 597	10.5	3	UPS/EXT
24 x 48	597 x 1197	10.5	3	UPS

Field tile is rectified with a minimum 3mm grout joint
† 6 x 24 and 12 x 24 EXT have extended lead time.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	298 x 298	10.5	3	UPS
Crossville Mosaic†	217 x 372	10.5	2	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	96 x 597	10.5	3	UPS
6 x 12 Cove Base	150 x 297	9.5	3	UPS



6 x 12 Cove Base




4 x 24 Single Bullnose

Recommended Use


Portugal is recommended for interior floors, walls, countertops and exterior walls in both residential and commercial applications. Portugal EXT is recommended for exterior floors and walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes



24 x 48




24 x 24



12 x 24



6 x 24



2 x 2 Square Mosaic
UPS Finish
(Mounted on a 12 x 12 sheet)



Crossville Mosaic†
UPS Finish
(Mounted on a 217 x 372 mm sheet)

† Due to this mosaic's design, caution should be used when installing on surfaces that might contact bare skin or other delicate materials. To prevent possible injury or damage from sharp corners that might be exposed above the grout line, install per ANSI 108 guidelines in order to minimize or prevent lippage.







Ready to Wear

- Competitively priced for exceptional value
- Patterned with classic warp and weft texture in eight shades
- Field Tile - Calibrated
- Recommended grout joint: 3/16"
- Cross-Sheen finish for easy cleaning


Visit the website to learn more:
CrossvilleInc.com/Products/Ready-to-Wear






Available Colors

Cools



AV312 Hand in Glove



AV314 Perfect Fit




AV316 Smarty Pants




AV317 Flannel Suit

Warms



AV311 Buttoned Up



AV313 Off the Cuff



AV315 Decked Out



AV318 Hats Off

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
2 x 6	1-13/16 x 5-13/16	3/8	3/16	UPS
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS

All field tile is calibrated.
Crossville recommends a minimum 3/16" grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 24 Single Bullnose	3-13/16 x 23-13/16	3/8	3/16	UPS




4 x 24 Single Bullnose

Recommended Use

Ready to Wear is recommended for interior walls and floors and exterior walls in both commercial and residential applications. Not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Field tile available in all colors)



12 x 24



2 x 6



Wet DCOF (UPS) 0.50 – 0.60



Reformation[®]

- Complementary light and dark tones
- Block mosaic and traditional 2 x 2 mosaic available
- Coordinating trim available
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Cross-Sheen finish for easy cleaning

Visit the website to learn more:
CrossvilleInc.com/Products/Reformation


Reformation Porcelain Stone



Available Colors



RFM01 New Day



RFM02 Rally Cry




RFM03 Ideology



RFM04 March On

Available Installation Patterns with Block Mosaic




Option 1



RFM01 Block Mosaic



RFM01 2 x 2 Mosaic




Option 2



RFM02 Block Mosaic



RFM02 2 x 2 Mosaic




Option 3




RFM03 Block Mosaic




RFM03 2 x 2 Mosaic



Option 4



RFM04 Block Mosaic



RFM04 2 x 2 Mosaic



Wet DCOF (UPS) 0.42 - 0.52



Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 36	147 x 897	10.5	3	UPS
12 x 36	297 x 897	10.5	3	UPS
24 x 36	597 x 897	10.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Square Mosaic*	298 x 298	10.5	3	UPS
Block Mosaic*	297 x 297	10.5	3	UPS

* 2 x 2 Square Mosaic mounted on 12 x 12 sheet.
* Block Mosaic mounted on 12 x 12 sheet.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 18 Single Bullnose	147 x 447	10.5	3	UPS
6 x 12 Cove Base	150 x 297	9.5	3	UPS



6 x 12 Cove Base
(Universal, Flat Top)




6 x 18 Single Bullnose

Recommended Use


Reformation is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Available in all colors)




24 x 36




12 x 36



6 x 36



Block Mosaic
UPS Finish
(Mounted on a
12 x 12 sheet)



2 x 2 Square Mosaic
UPS Finish
(Mounted on a
12 x 12 sheet)





Porcelain Stone
Reformation

Reformation | Floor: RFM02 Rally Cry
Shower Floor: RFM02 Rally Cry Block Mosaic
Wall: RFM01 New Day



Relax

- Value Line
- Beautifully durable alternative to wood
- Coordinating trim and mosaic
- Field Tile - Rectified
- Recommended grout joint: 3mm

Relax Porcelain Stone

Visit the website to learn more:
CrossvilleInc.com/Products/Relax



Available Colors



RLX01 Chiffon



RLX01 Chiffon Mosaic



RLX02 Nutmeg



RLX02 Nutmeg Mosaic



RLX03 Woolen



RLX03 Woolen Mosaic



RLX04 Caviar



RLX04 Caviar Mosaic

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 36	147 x 897	9.3	3	UP

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Square Mosaic*	298 x 298	9.3	3	UP

* Mounted on 12 x 12 sheet with a 3mm grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 18 Bullnose	146 x 447	9.3	3	UP



6 x 18 Bullnose

Recommended Use


Relax is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes (Field tile available in all colors)



6 x 36



2 x 2 Square Mosaic
UP Finish
(Mounted on a 12 x 12 sheet)



Wet DCOF (UP) 0.42 - 0.52



Retro Active 2.0 Porcelain Stone


Retro Active 2.0

- Coordinates with Alaska and Retro Active 2.0 patterns
- Pattern texture for linear look
- Popular plank shapes, including 24" length
- Multiple sizes for design versatility
- Rounded edges allow for a smoother transition
- Ideal for minimalist looks
- Cross-Sheen finish for easy cleaning (UPS only)

Visit the website to learn more:
CrossvilleInc.com/Products/Retro-Active-2-0



Available Colors




RET01 Antico Taupe UPS/PO/PTN




RET02 Seal Taupe UPS/PO/PTN



RET03 Featherstone UPS/PO/PTN



RET04 Empress White UPS/PO/PTN



RET05 Snow Blind UPS/PO/PTN



RET06 Roasted Chestnut UPS/PO/PTN



RET07 Leaden UPS/PO/PTN



RET08 Mercurial UPS/PO/PTN



RET09 Phantom UPS/PO/PTN



RET10 Armor UPS/PO/PTN




RET11 Gulf Breeze UPS/PO/PTN



RET12 Racing Green UPS/PO/PTN



RET13 Royal Navy UPS/PO/PTN



Pattern Example - RET08 Mercurial PTN, Available in all colors

Price Groups

- I Group I
- II Group II



Wet DCOF	
(UPS)	0.50 - 0.60
(PO)	0.31 - 0.41
(PTN)	0.42 - 0.52



Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
3 x 12*†	2-3/4 x 11-3/4	5/16	3/16	PO/UPS/PTN
4 x 12*†	3-3/4 x 11-3/4	5/16	3/16	PO/UPS/PTN
4 x 24*†	3-3/4 x 23-3/4	5/16	3/16	PO/UPS/PTN
6 x 12*†	5-3/4 x 11-3/4	5/16	3/16	PO/UPS/PTN
6 x 24*†	5-3/4 x 23-3/4	5/16	3/16	PO/UPS/PTN
12 x 12	11-3/4 x 11-3/4	5/16	3/16	PO/UPS/PTN
12 x 24	11-3/4 x 23-3/4	5/16	3/16	PO/UPS/PTN

* Custom cut program. Allow 2-4 weeks based on availability for delivery.
 † The cut/bevel tile is cut from larger format tile and the edges are beveled to provide a factory appearance.
 All field tile is calibrated (non-rectified).
 Crossville recommends a minimum 3/16" grout joint.


MOSAICS

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
2 x 4 Mosaic*	11-3/4 x 11-3/4	5/16	3/16	UPS

* 2 x 4 Mosaic mounted on 12 x 12 sheet.

COORDINATING TRIM


Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 12 Single Bullnose	3-3/4 x 11-3/4	5/16	3/16	PO/UPS/PTN†
2 x 12 Cove Base	1-3/4 x 11-11/16	3/8	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS
2 x 2 Cove Base Inside Corner	1-3/4 x 1-3/4	NA	3/16	UPS
1 x 6 Inside and Outside Corner	1 x 5-7/8	NA	3/16	UPS
2 x 4 Cove Base Outside Corner	1-3/4 x 3-1/2	NA	3/16	UPS



Recommended Use

Retro Active 2.0 is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Not recommended for exterior horizontal surfaces or exterior paving.
If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.
 See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Available in all colors)





Porcelain Stone **Retro Active 2.0**



Shades 2.0 Porcelain Stone

Shades 2.0

- Cross-Sheen finish for easy cleaning (UPS only)
- Field Tile - Rectified
- Comprised of 13 contemporary colors
- Recommended grout joint: 3mm

Visit the website to learn more:
CrossvilleInc.com/Products/Shades-2-0



Shades 2.0 | SHD43 Fog | SHD48 Thunder | SHD49 Ink
Bossard Group Stoughton, MA
Designer: Newbury Deign Associates
Installed by Streamline Floorcovering Inc.
Image by Christian Scully | Courtesy of Design Imaging Studios


Available Colors

Base



SHD41 Frost UPS/SPO/PTN

Cool



SHD44 Mist UPS/SPO/PTN

Neutral Warm



SHD43 Fog UPS/SPO/PTN


New Warm



SHD51 Foam UPS/SPO/PTN



SHD42 Vapor UPS/SPO/PTN



SHD46 Ash UPS/SPO/PTN




SHD45 Clay UPS/SPO/PTN




SHD52 Camel UPS/SPO/PTN



SHD49 Ink UPS/SPO/PTN



SHD48 Thunder UPS/SPO/PTN




SHD47 Haze UPS/SPO/PTN



SHD53 Russet UPS/SPO/PTN




SHD54 Midnight UPS/SPO/PTN




Detail of the SHD54 Midnight PTN


Mosaic blends available**




SHD1/.10103SMOS
Warm Grays - SPO
(SHD43, SHD45, SHD47)




SHD2/.10103SMOS
Cool Grays - SPO
(SHD44, SHD46, SHD48)



SHD3/.10103SMOS
Whites - SPO
(SHD41, SHD42)




SHD4/.10103SMOS
New Warm - SPO
(SHD51, SHD52, SHD53)



SHD46.10202UMOS
Available in all colors UP
SHD47 Haze UPS shown



HYDROTECT



Wet DCOF
(UPS) 0.50 - 0.60
(SPO) 0.42 - 0.52





Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24	147 x 597	9.5	3	UPS/SPO
12 x 12 Triangle	297 x 297	9.5	3	UPS/SPO
12 x 24	297 x 597	9.5	3	UPS/SPO/PTN
24 x 24	597 x 597	9.5	3	UPS/SPO
24 x 48	597 x 1197	10.5	3	UPS/SPO

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
1 x 3 Blended Mosaic*	297 x 297	9.5	3	SPO
2 x 2 Solid Mosaic*	298 x 298	9.5	3	UPS

* 1 x 3 Mosaic mounted on 11-7/8 x 11-7/8 sheets.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	96 x 597	9.5	3	UPS/SPO
6 x 12 Cove Base	150 x 297	9.5	3	UPS



6 x 12 Cove Base
(Universal, Flat Top)



4 x 24 Single Bullnose

SPO is a semi-polished finish.

Recommended Use


Shades 2.0 is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Shades 2.0 is not recommended for exterior horizontal surfaces or exterior paving. **The SPO finish (semi-polished) field tile is not recommended for wet areas. If offset pattern is required for tiles 15 inches or longer, Crossville recommended an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Wet Area Use for Mosaic

See Tile Performance Data chart.


Example Sizes



24 x 48



24 x 24




12 x 24



6 x 24



12 x 12 Triangle



2 x 2 Square Mosaic
UPS Finish
(Mounted on a 12 x 12 sheet)





Porcelain Stone
Shades 2.0

Wall: **Shades 2.0** | SHD41 Frost 12 x 12 Triangle UPS,
SHD54 Midnight 12 x 12 Triangle UPS
Floor: **Shades 2.0** | SHD41 Frost 24 x 48 UPS



SpeakEasy

- Beautifully durable alternative to rustic barn wood
- Sizes include 6 x 36, 8 x 36, and 12 x 36
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Cross-Sheen finish for easy cleaning (UPS only)

Visit the website to learn more:
CrossvilleInc.com/Products/SpeakEasy



Available Colors



AV281 Sidecar



AV282 Zoot Suit



AV283 Sweet Georgia Brown



AV284 Silver Screen



AV285 Bank Roll

Sizes & Finishes (Available in all colors)

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 36	147 x 897	10.5	3	UPS
8 x 36	197 x 897	10.5	3	UPS
12 x 36	297 x 897	10.5	3	UPS

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 18 Single Bullnose	147 x 447	10.5	3	UPS




6 x 18 Single Bullnose

Recommended Use


SpeakEasy is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. SpeakEasy is not recommended for exterior horizontal surfaces or exterior paving. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.

Example Sizes (Field tile available in all 5 colors)




12 x 36



8 x 36



6 x 36



Wet DCOF (UPS) 0.50 - 0.60



State of Grace

- Coordinates with Crossville Porcelain Slabs
- One shade of white in Unpolished and Satin finishes
- Trim includes 4 x 24 single bullnose and 2 x 12 cove base
- Field Tile - Rectified
- Recommended grout joint: 3mm
- Cross-Sheen finish for easy cleaning (UPS only)

Visit the website to learn more:

CrossvilleInc.com/Products/State-of-Grace






State of Grace GRC01 UPS/SAT



12 x 15 Herringbone UPS Finish
Mesh mounted on a 306.1mm x 371.6mm sheet



2 x 2 Mosaic UPS
Mesh mounted on a 298mm x 298mm sheet



3 x 3 Hex Mosaic UPS
Mesh mounted on a 296.1mm x 276.4mm sheet



6 x 12 Base Molding*



3 x 12 Crown Molding*



1-1/2 x 12 Chair Rail*



2-1/2 x 12 Left & Right Chevron



3 x 6 Picket

* Globally Sourced - Hydrotect™ not available

Sizes & Finishes

FIELD TILE - Rectified

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
3 x 6	72 x 147	10.5	3	UPS/SATIN
3 x 6 Picket	72 x 146	10.5	3	UPS/SATIN
6 x 24	147 x 597	10.5	3	UPS/SATIN
12 x 12	297 x 297	10.5	3	UPS/SATIN
12 x 24	297 x 597	10.5	3	UPS/SATIN
24 x 24	597 x 597	10.5	3	UPS/SATIN
24 x 48	597 x 1197	10.5	3	UPS
2-1/2 x 12 Chevron	64 x 305	10.5	3	UPS/SATIN

All field tile is rectified.
Crossville recommends a minimum 3mm grout joint.

MOSAICS

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Square*	47 x 47	10.5	3	UPS
3 x 3 Hex**	77 x 88	10.5	3	UPS
12 x 15 Herringbone***	33 x 98	10.5	3	UPS

* Mosaic mounted on 298 x 298 sheets with a 3mm grout joint. Coverage area 0.97 SF per sheet.
** Mosaic Mounted on 296.1 x 276.4 sheets with a 3.5mm grout joint. Coverage area 0.71 SF per sheet.
*** Mosaic mounted on 306.1 x 371.6 sheets with a 2.5mm grout joint. Coverage area 0.93 SF per sheet.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
1-1/2 x 12 Chair Rail †	30 x 297	9.5	3	SATIN
3 x 12 Crown Molding †	75 x 297	9.5	3	SATIN
6 x 12 Base Molding †	150 x 297	9.5	3	SATIN
4 x 24 Bullnose	96 x 597	10.5	3	UPS/SATIN
2 x 12 Cove Base	45 x 297	9.5	3	UPS



4 x 24 Single Bullnose



2 x 12 Cove Base


† Globally Sourced - Hydrotect™ not available

Recommended Use


State of Grace UPS is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. The satin finish is recommended for residential and light commercial use only. State of Grace is not recommended for exterior horizontal surfaces or exterior paving. **The satin finish is not recommended for wet areas where standing water may occur. If offset pattern is required for tiles 15 inches or longer, Crossville recommended an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Example Sizes



24 x 48



24 x 24




12 x 24



6 x 24



12 x 12




2-1/2 x 12 Left & Right Chevron



3 x 6



3 x 6 Picket



Wet DCOF
(UPS) 0.42 - 0.52
(SAT) 0.31 - 0.41



Stone Fiction


- Subtle stone look
- Coordinating trim and 2 x 2 mosaic
- Field Tile - Calibrated
- Recommended grout joint: 3mm
- Get Planked available

Visit the website to learn more:
Crossvilleinc.com/Products/Stone-Fiction





Available Colors



STF01 Travertine Ivory



STF02 Travertine Beige



STF03 Travertine Silver



STF04 Travertine Coffee



Detail of the
STF04 Travertine Silver Finish

Sizes & Finishes (Available in all colors)

FIELD TILE - Calibrated

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (mm)	Finish
12 x 24	11-13/16 x 23-13/16	9.5	3/16	UPS
24 x 24	23-13/16 x 23-13/16	9.5	3/16	UPS/EXT

All field tile is calibrated (non-rectified).
Crossville recommends a minimum 3/16" grout joint.

MOSAICS

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	11-15/16 x 11-15/16	9.5	3	UPS

* Mounted on 12 x 12 sheet with 3mm grout joints.

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
4 x 24 Single Bullnose	3-13/16 x 23-13/16	9.5	3/16	UPS
6 x 12 Cove Base	5-7/8 x 11-3/4	9.5	3/16	UPS



6 x 12 Cove Base



4 x 24 Single Bullnose

Recommended Use


Stone Fiction is recommended for interior floors, walls, countertops and exterior walls in both residential and commercial applications. Stone Fiction \ EXT is recommended for exterior floors and walls in both residential and commercial applications. **If offset pattern is required for tiles 15 inches or longer, Crossville recommends an offset of not greater than 33%.**

See CrossvilleInc.com for detailed installation instructions.


Wet Area Use for Mosaic

See Tile Performance Data chart.


Example Sizes (Field tile available in all colors)




24 x 24



12 x 24



2 x 2 Mosaic
Mounted to a 12 x 12
sheet - UP only



Wet DCOF
(UPS) 0.42 - 0.52
(EXT) 0.60 - 0.70



Wall: Yin + Yang | YY08/11.56.SBR Tea Garden

Natural Stone




Yin + Yang | YY08 Tea Garden




Yin + Yang | YY05 Koi Pond



Yin + Yang | YY05 Koi Pond



Yin + Yang | YY06 Lotus Blossom



Yin + Yang | YY01 Bonsai



Yin + Yang | YY07 Moon Gate

YIN + YANG



Yin + Yang Natural Stone

Yin + Yang

- Natural stone tile in modular, mosaic shapes and sizes
- Well-balanced stone shades to harmonize with decor
- Versatile options for interior walls, floors and outdoor vertical surfaces
- Select Yin+Yang coordinates with Ebb & Flow

Visit the website to learn more:
CrossvilleInc.com/Products/Yin-Yang



Wall: **Yin + Yang** | YY04/.10312PLK Black Dragon Plank
Floor: **Yin + Yang** | YY03/.10103HB Snow Flower 1X3 Herringbone | YY04/.10103HB Black Dragon 1X3 Herringbone


Available Colors



YY04 Black Dragon +
(polished finish)



YY03 Snow Flower +
(polished finish)



YY01 Bonsai +
(natural finish)



YY02 Silk Fan
(polished finish)



YY07 Moon Gate +
(natural finish)



YY05 Koi Pond
(natural finish)



YY06 Lotus Blossom
(natural finish)



YY08 Tea Garden
(polished finish)



Natural Stone
Yin + Yang

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Nominal (in)	Actual (mm)	Thickness (mm)
1 x 3 Herringbone*	13 x 13	332.21 x 332.21	10
1-1/2 x 6-1/2 Brick**	1-1/2 x 6-1/2	41 x 170	10
1/2 x 1/2 Mosaic*	12 x 12	299 x 299	10
1 x 3 Elongated Hex*	8-3/4 x 11-1/2	223.52 x 294	10
1/2 x 1-1/2 Stacked Mosaic*	12 x 12	299 x 299	10
3 x 12 Plank**	3 x 12	84 x 299	10
Linear Mosaic***	11-1/2 x 11-3/4	298 x 295	10

* Mesh mounted

** Sold as loose pieces

*** Linear Mosaic consists of 15 x 98, 23 x 148, and 38 x 148 tiles

Recommended Use


Yin + Yang natural stone is recommended for interior and exterior walls. It is recommended for dry interior floors. Yin + Yang is not suitable for the lining of pools, fountains, or spas. This natural stone displays a wide variation in colors. Please refer to CrossvilleInc.com for photos. Always work from at least four cartons to ensure optimum installation.

Care and Maintenance


For complete care and maintenance information of stone products, the Marble Institute of America provides extensive information on their website, marbleinstitute.com/consumers/care.cfm.
Phone (440) 250-9222.



Black Dragon - Coordinates with Ebb & Flow EF09 Cinders and Smoke




YY04/.1.5.5MOS
Mosaic 1/2 x 1/2



YY04/.10103HEX
Elongated Hex 1 x 3




YY04/.10103HB
Herringbone 1 x 3



YY04/.1.51.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY04/.1MIXMOS
Linear Mosaic



YY04/.11.56.5BR
Brick 1-1/2 x 6-1/2 **



YY04/.10312PLK
Plank 3 x 12 **


Snow Flower - Coordinates with Ebb & Flow EF01 Snow and Ice and EF06 Wind and Rain



YY03/.1.5.5MOS
Mosaic 1/2 x 1/2



YY03/.10103HEX
Elongated Hex 1 x 3




YY03/.10103HB
Herringbone 1 x 3



YY03/.1.51.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY03/.1MIXMOS
Linear Mosaic



YY03/.11.56.5BR
Brick 1-1/2 x 6-1/2 **




YY03/.10312PLK
Plank 3 x 12 **

** Sold as loose pieces
Shown in multiple pieces
to show variation

* Please note that the various tile planks and mosaic in the Yin + Yang series are modular with each other however; the facial dimensions and thickness of cut stone tiles can vary. These irregularities are what gives stone tiles and mosaic their handmade appearance. As such, very narrow grout joints and precise alignment of the field tiles may be difficult to achieve.



Koi Pond




YY05/.15.5MOS
Mosaic 1/2 x 1/2



YY05/.10103HEX
Elongated Hex 1 x 3




YY05/.10103HB
Herringbone 1 x 3



YY05/.151.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY05/.1MIXMOS
Linear Mosaic



YY05/.11.56.5BR
Brick 1-1/2 x 6-1/2 **



YY05/.10312PLK
Plank 3 x 12 **

Koi Pond displays a wide variation in colors. Please refer to CrossvilleInc.com for photos. Always work from at least four cartons to ensure optimum installation.

Moon Gate - Coordinates with Ebb & Flow EF04 Sand and Surf



YY07/.15.5MOS
Mosaic 1/2 x 1/2



YY07/.10103HEX
Elongated Hex 1 x 3



YY07/.10103HB
Herringbone 1 x 3



YY07/.151.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY07/.1MIXMOS
Linear Mosaic



YY07/.11.56.5BR
Brick 1-1/2 x 6-1/2 **




YY07/.10312PLK
Plank 3 x 12 **

** Sold as loose pieces
Shown in multiple pieces
to show variation

*** Please note that the various tile planks and mosaic in the Yin + Yang series are modular with each other however; the facial dimensions and thickness of cut stone tiles can vary. These irregularities are what gives stone tiles and mosaic their handmade appearance. As such, very narrow grout joints and precise alignment of the field tiles may be difficult to achieve.**



Bonsai - Coordinates with Ebb & Flow EF03 Flora and Fauna



YY01/.1.5.5MOS
Mosaic 1/2 x 1/2



YY01/.10103HEX
Elongated Hex 1 x 3



YY01/.10103HB
Herringbone 1 x 3



YY01/.1.51.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY01/.1MIXMOS
Linear Mosaic



YY01/.11.56.5BR
Brick 1-1/2 x 6-1/2 **



YY01/.10312PLK
Plank 3 x 12 **


Silk Fan



YY02/.1.5.5MOS
Mosaic 1/2 x 1/2



YY02/.10103HEX
Elongated Hex 1 x 3




YY02/.10103HB
Herringbone 1 x 3




YY02/.1.51.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY02/.1MIXMOS
Linear Mosaic



YY02/.11.56.5BR
Brick 1-1/2 x 6-1/2 **



YY02/.10312PLK
Plank 3 x 12 **

** Sold as loose pieces
Shown in multiple pieces
to show variation

* Please note that the various tile planks and mosaic in the Yin + Yang series are modular with each other however; the facial dimensions and thickness of cut stone tiles can vary. These irregularities are what gives stone tiles and mosaic their handmade appearance. As such, very narrow grout joints and precise alignment of the field tiles may be difficult to achieve.



Lotus Blossom



YY06/.15.5MOS
Mosaic 1/2 x 1/2



YY06/.10103HEX
Elongated Hex 1 x 3



YY06/.10103HB
Herringbone 1 x 3



YY06/.151.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY06/.1MIXMOS
Linear Mosaic




YY06/.11.56.5BR
Brick 1-1/2 x 6-1/2 **




YY06/.10312PLK
Plank 3 x 12 **

Lotus Blossom displays a wide variation in colors. Please refer to CrossvilleInc.com for photos.
Always work from at least four cartons to ensure optimum installation.

Tea Garden




YY08/.15.5MOS
Mosaic 1/2 x 1/2



YY08/.10103HEX
Elongated Hex 1 x 3




YY08/.10103HB
Herringbone 1 x 3




YY08/.151.5MOS
Stacked Mosaic 1/2 x 1-1/2



YY08/.1MIXMOS
Linear Mosaic



YY08/.11.56.5BR
Brick 1-1/2 x 6-1/2 **



YY08/.10312PLK
Plank 3 x 12 **


** Sold as loose pieces
Shown in multiple pieces
to show variation

* Please note that the various tile planks and mosaic in the Yin + Yang series are modular with each other however; the facial dimensions and thickness of cut stone tiles can vary. These irregularities are what gives stone tiles and mosaic their handmade appearance. As such, very narrow grout joints and precise alignment of the field tiles may be difficult to achieve.



Groove Glass | GG30 Rumba | GGB03 Vogue


Glass Tile



Convergence | CON08 Peacock




Groove Glass | GG20 Shimmy




Convergence | CON04 Pigeon




Groove Glass | GG20 Shimmy | GG21 Salsa | GG22 Disco



Convergence | CON03 Sepia



Convergence | CON01 Pearl



Sideview Glass | SV01 Tungsten


- CONVERGENCE
- EBB & FLOW
- GLASS BLOX®
- GROOVE GLASS
- SIDEVIEW GLASS



Convergence

- Four neutral tone and four bright tone colors are available
- Aligns with the ever popular wood-look in a unique glass format
- Mesh mounted on a 12 x 12 sheet
- Part of the proceeds support Common Thread for the Cure™ Program


Visit the website to learn more:
CrossvilleInc.com/Products/Convergence




Backsplash: **Convergence** | CON01 Pearl
Counterfront: **Convergence** | CON04 Pigeon
Floor: **State of Grace** | GRC01
Countertop: **State of Grace** | PC012

Available Colors


Colors - Neutrals




CON01 Pearl



CON02 Chardonnay




CON03 Sepia




CON04 Pigeon


Colors - Brights




CON05 Orchid



CON06 Indigo



CON07 Currant



CON08 Peacock

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 4 Mosaic*	298 x 298	6	PO

Mosaic mounted on 298 x 298 sheet.

Recommended Use

Convergence is recommended for interior walls in wet or dry locations.





Ebb & Flow

- Harmonic blending of glass and natural stone
- Variety of shapes and sizes
- Inspired by nature
- Select Yin + Yang products to coordinate with select Ebb & Flow




























Visit the website to learn more:

CrossvilleInc.com/Products/Ebb-and-Flow

Ebb & Flow Glass Tile



Available Colors

	<p>EF01 Snow and Ice* Coordinates with Yin+Yang YY03 Snow Flower</p>  <p>EF01/.1.5.5MOS</p>	<p>EF02 Moon and Stars</p>  <p>EF02/.1.5.5MOS</p>	<p>EF03 Flora and Fauna* Coordinates with Yin+Yang YY01 Bonsai</p>  <p>EF03/.1.5.5MOS*</p>	<p>EF04 Sand and Surf* Coordinates with Yin+Yang YY07 Moon Gate</p>  <p>EF04/.1.5.5MOS</p>	<p>EF05 Rocks and Minerals</p>  <p>EF05/.1.5.5MOS</p>
1/2 x 1/2 Mosaic					
1/2 x 3 Stacked Mosaic	 <p>EF01/.1.503MOS</p>	 <p>EF02/.1.503MOS</p>	 <p>EF03/.1.503MOS</p>	 <p>EF04/.1.503MOS</p>	 <p>EF05/.1.503MOS</p>
Linear Mosaic	 <p>EF01/.1MIXMOS</p>	 <p>EF02/.1MIXMOS</p>	 <p>EF03/.1MIXMOS</p>	 <p>EF04/.1MIXMOS</p>	 <p>EF05/.1MIXMOS</p>
	<p>EF06 Wind and Rain* Coordinates with Yin+Yang YY03 Snow Flower</p>  <p>EF06/.1.5.5MOS</p>	<p>EF07 Sticks and Stones</p>  <p>EF07/.1.5.5MOS</p>	<p>EF08 Dusk and Dawn</p>  <p>EF08/.1.5.5MOS</p>	<p>EF09 Cinders and Smoke* Coordinates with Yin+Yang YY04 Black Dragon</p>  <p>EF09/.1.5.5MOS</p>	
1/2 x 1/2 Mosaic					
1/2 x 3 Stacked Mosaic	 <p>EF06/.1.503MOS</p>	 <p>EF07/.1.503MOS</p>	 <p>EF08/.1.503MOS</p>	 <p>EF09/.1.503MOS</p>	
Linear Mosaic	 <p>EF06/.1MIXMOS</p>	 <p>EF07/.1MIXMOS</p>	 <p>EF08/.1MIXMOS</p>	 <p>EF09/.1MIXMOS</p>	<p>*Coordinates with Crossville Yin+Yang Natural Stone tile.</p>

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Actual (in)	Thickness (in)
1/2 x 1/2 Mosaic*	9/16 x 9/16	1/4
1/2 x 3 Stacked Mosaic*	9/16 x 2-7/8	1/4
Linear Mosaic**		
1/2 x 2	9/16 x 1-7/8	1/4
1/2 x 4	9/16 x 3-7/8	1/4
1/2 x 6	9/16 x 5-7/8	1/4

1/8 inch grout joint on all mosaic sheets.

* Actual size of mounted sheet is 11-3/4 x 11-3/4.

** Actual size of mounted sheet is 11-3/4 x 13.

Recommended Use

Crossville's Ebb & Flow mosaic can be used for interior walls and covered exterior wall applications. In wall applications exposed to regular moisture (such as shower walls) the application of a penetrating sealer, such as Miracle 511 Impregnator, is required.

See detailed installation instructions at CrossvilleInc.com.





Glass Blox[®]

- 44 colors in groupings of three shades
- Solid colors available in 1 x 1, 1/2 x 6, 2 x 4, 4 x 4 and select colors in 1/2 x 2
- Blended colors are available in 1 x 1 and 1/2 x 2
- Custom blends are available upon request
- Part of the proceeds support Common Thread for the Cure™ Program

Visit the website to learn more:
CrossvilleInc.com/Products/Glass-Blox


Glass Blox Glass Tile



Bright Solids (1x1 mounted on 12 x 12 sheets)




Neutral Solids (1x1 mounted on 12 x 12 sheets)




*Available in 1/2 x 2




Blends (1 x 1 mounted on 12 x 12 sheets)




GB10 Sunrise/Rose Aura/
Flame




GB02 Orange Sizzle/Flame/
Dazzle Red




GB04 Moonbeam/Lemon
Zest/Lime Shimmer




GB05 Moonbeam/Clear Sky/
Aqua Gleam




GB03 Angel Fish/Blue Grotto/
Purple Zing




GB06 Angel Fish/South Sea/
Glacier




GB07 South Sea/Aegean/
Blue Grotto



GB08 Mermaid/Vivid Teal/
Sapphire




GB09 Sapphire/Mermaid/
Aegean




GB01 Moonbeam/Black Magic


Blends (1/2 x 2 mounted on 12 x 12 sheets)




GB11 Blue Haze/Ocean Air/
North Sea



GB12 Dewdrop/Olive Mist/
Deep Sea




GB13 Dusk/Taupe Fog/
Brandy




GB14 Champagne/Honey/
Iced Tea


Example Sizes (Field tile available in all colors)



1 x 1 mounted 12 x 12 sheets
(Available in all 44 colors)



1/2 x 2 mounted 12 x 12 sheets
(Available in G046, G047, G048, G071, G076,
G083, and G153 only)



2 x 4 mounted 12 x 12 sheets
(Available in all 44 colors)



4 x 4
(Available in all 44 colors)



1/2 x 6
(Available in all 44 colors)

Sizes & Finishes (Available in all colors)

FIELD TILE

Description	Nominal (in)	Actual (in)	Thickness (in)
Solids	1 x 1*	7/8 x 7/8	1/4
	1/2 x 2*	3/8 x 1-7/8	1/4
	1/2 x 6	3/8 x 5-3/4	1/4
	2 x 4*	1-7/8 x 3-7/8	1/4
	4 x 4	3-7/8 x 3-7/8	1/4
Blends	1 x 1*	7/8 x 7/8	1/4
	1/2 x 2*	3/8 x 1-7/8	1/4

*Actual size of mesh mounted sheets is 11-5/8 x 11-5/8.

Recommended Use

Glass Blox can be used for interior wall applications – wet or dry locations, and exterior covered wall applications. Note: Mosaic only are acceptable for pool waterlines. Custom blends available in all sizes except 1/2 x 6 and 4 x 4.





Groove Glass


- Inspired by night life and a variety of fun dance styles
- 8 solid colors and 5 mosaic blends
- Clean glamorous look
- Sizes include: 2 x 16, 2 x 12, 4 x 16, 4 x 12, 4 x 8, 2 x 8

Visit the website to learn more:
CrossvilleInc.com/Products/Groove-Glass





Available Colors



GG10 Hustle




GG11 Jump Style




GG20 Shimmy




GG30 Rumba




GG21 Salsa



GG31 Samba




GG22 Disco




GG32 Twist


Blends




GGB01 Swing




GGB02 Jitterbug



GGB03 Vogue



GGB04 Jive



GGB05 Conga

Sizes & Finishes (Available in all colors)

FIELD TILE

Description	Actual (mm)	Thickness (mm)
2 x 8	48 x 198	6
2 x 12	48 x 298	6
2 x 16	48 x 398	6
4 x 8	98 x 198	6
4 x 12	98 x 298	6
4 x 16	98 x 398	6
2 x 2 Blends*	48 x 48	6


*Mounted on a 12 x 12 sheet.
Actual size of mounted sheet is 298 x 298 with a recommended 2mm grout joint.

Recommended Use

Groove Glass can be used for interior wall applications – wet or dry locations, and exterior covered wall applications.

Note: Mosaic only are acceptable for pool waterlines.

Example Sizes (Field tile available in all colors)





Sideview Glass

- A modern take on art deco's daring style
- Subtle variations result in handmade appearance
- Lavish beveling on the underside adds dazzling visual dimension
- Mesh mounted on 12 x 12 sheet
- Perfect complement to Crossville Porcelain Stone tile


Visit the website to learn more:

CrossvilleInc.com/Products/Sideview-Glass






Available Colors



SV03/.103031 Gold Polished Finish




SV03/.103032 Gold Matte Finish




SV04/.103031 Copper Polished Finish



SV04/.103032 Copper Matte Finish



SV01/.103031 Tungsten Polished Finish



SV01/.103032 Tungsten Matte Finish



SV02/.103031 Silver Polished Finish



SV02/.103032 Silver Matte Finish


Coordinating Trim Accent Bars (available in all colors)



SV03/.10312AB Gold 3 x 12 Accent Bar, Mixed Finish



SV04/.10312AB Copper 3 x 12 Accent Bar, Mixed Finish




SV01/.10312AB Tungsten 3 x 12 Accent Bar, Mixed Finish



SV02/.10312AB Silver 3 x 12 Accent Bar, Mixed Finish

Coordinating Trim Accent Bars (available in all colors)



3 x 3 Mosaic
Matte or Polished Finish
Mesh mounted on a
300mm x 300mm sheet
Available in all colors.

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Nominal Piece (in)	Actual (mm)	Thickness (mm)	Finish
12 x 12 Mosaic	3 x 3	300 x 300	8	Matte/Polished

Mesh mounted on 300 x 300mm sheet.

Coordinating Trim

Nominal (in)	Nominal Piece (in)	Actual (mm)	Thickness (mm)	Finish
3 x 12 Accent Bar*	1 x 3 & 2 x 3	75 x 300	8	Mixed
1-1/8 x 6 Liner Bar**	1-1/8 x 6	N/A	16	Matte/Polished

* Mesh mounted on a 75mm x 300mm sheet. Available in all colors.
** Actual size 28mm x 150mm. Available in all colors and finishes.



1-1/8 x 6 Liner Bar with Profile

Coordinating Trim Liner Bars (available in all colors)



SV03/.10106LB1 Gold 1-1/8 x 6 Liner Bar, Polished Finish



SV04/.10106LB1 Copper 1-1/8 x 6 Liner Bar, Polished Finish



SV03/.10106LB2 Gold 1-1/8 x 6 Liner Bar, Matte Finish



SV04/.10106LB2 Copper 1-1/8 x 6 Liner Bar, Matte Finish



SV01/.10106LB1 Tungsten 1-1/8 x 6 Liner Bar, Polished Finish



SV02/.10106LB1 Silver 1-1/8 x 6 Liner Bar, Polished Finish



SV01/.10106LB2 Tungsten 1-1/8 x 6 Liner Bar, Matte Finish




SV02/.10106LB2 Silver 1-1/8 x 6 Liner Bar, Matte Finish

Recommended Use

Sideview Glass tile can be used for interior walls in wet or dry applications.

Cleaning

Regular cleaning is the best way to keep Sideview Glass tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville products is available at CrossvilleInc.com.





Handwritten | HWR08 Love Letter

Wall Tile

Swatches | BR126 Spruce Gloss

Color by Numbers | WT07 Seventh Inning Stretch




Simpatico | LWT02 Fellowship



Swatches | BR123 Lipstick Gloss



Handwritten | HWR03 Private Affair



Handwritten | HWR09 Inkwell



Cursive | CRV08 Goldenrod

COLOR BY NUMBERS®

CURSIVE®

HANDWRITTEN

SIMPATICO

SWATCHES



Color by Numbers[®]

- 16 picture perfect hues
- 6 glass listello options to add variety to design
- Coordinates with Simpatico


Visit the website to learn more:
CrossvilleInc.com/Products/Color-By-Numbers

Color by Numbers Wall Tile







Neutral Colors (available in Gloss/Satin)



WT01 One of a Kind



WT02 Tea For Two**




WT03 Three Hour Tour**




WT17 Edge of Seventeen**




WT18 1812 Overture**



WT06 Sixth Sense / Coordinates with Color Blox 2.0 CBX03 Slinky




WT07 Seventh Inning Stretch / Coordinates with Color Blox 2.0 CBX08 Sea Otter



WT08 Eight Days a Week



WT09 Nine Lives / Coordinates with Color Blox 2.0 CBX13 Blue Suede Shoes



WT10 A Perfect Ten / Coordinates with Color Blox 2.0 CBX17 I See the Moon

** Coordinates with Simpatico

Brights (available in Gloss Only)



WT11 Eleventh Hour



WT13 Lucky Thirteen



WT19 19th Hole



WT14 Carbon-14



WT16 Sixteen Candles



WT20 20/20 Vision

Brights (available in Gloss Only)



WTL1/.1.512 White/Black



WTL2/.1.512 Brown/Cream



WTL3/.1.512 Gray/Aqua




WTL4/.1.512 Red/Maroon



WTL5/.1.512 Yellow/Green



WTL6/.1.512 Blue/Aqua





Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Actual (in)	Thickness (in)
4 x 8	3-15/16 x 7-7/8	1/4
4 x 12	3-15/16 x 11-13/16	1/4


Crossville recommends a minimum 1/16 grout joint.
This tile is calibrated (non-rectified).

Color, Finishes, and Sizes

Color	Finish		4 x 8	4 x 12	Cove Base & Corners	Single Bullnose & Corners
	Gloss	Satin				
WT01	✓	✓	✓	✓	✓	✓
WT02	✓	✓	✓	✓	✓	✓
WT03	✓	✓	✓	✓	✓	✓
WT06	✓	✓	✓	✓	✓	✓
WT07	✓	✓	✓	✓	✓	✓
WT08	✓	✓	✓	✓	✓	✓
WT09	✓	✓	✓	✓	✓	✓
WT10	✓	✓	✓	✓	✓	✓
WT11	✓		✓			
WT13	✓		✓			
WT14	✓		✓			
WT16	✓		✓			
WT17	✓	✓	✓	✓	✓	✓
WT18	✓	✓	✓	✓	✓	✓
WT19	✓		✓			
WT20	✓		✓			


COORDINATING TRIM

Nominal (in)	Actual (in)	Thickness (in)
2 x 8 Single Bullnose	2 x 7-7/8	1/4
4 x 12 Single Bullnose	3-15/16 x 11-13/16	1/4
2 x 2 Bullnose Corner	2-3/16 x 2-3/16	1/4
4 x 4 Bullnose Corner	3-15/16 x 3-15/16	1/4
4 x 8 Cove Base*	3-15/16 x 7-7/8	1/4
4 x 8 Cove Base Corner Left & Right*	3-15/16 x 7-7/8	1/4
1/2 x 12 Listello	7/16 x 11-11/16	1/4



*Cove Base has an unglazed flat top.

Example Sizes (Available in all colors)



Recommended Use

Color By Numbers tile is recommended for interior vertical surfaces in all residential and light commercial applications.







Cursive[®]

- Nine trending colors
- Unique shapes to complete your design
- Hand crafted appearance
- Water color effect

Cursive Wall Tile

Visit the website to learn more:
CrossvilleInc.com/Products/Cursive



Available Colors



CRV01 Ghost

CRV02 Smoke

CRV03 Charcoal

CRV04 Soft Teal

CRV05 Old Denim

CRV06 Iris


CRV07 Rose Gold

CRV08 Goldenrod

CRV09 Oxblood

* Each tile has a handmade appearance with a watercolor effect around the edges.

Available Shapes



6 x 6

4 Corner

6 x 6 Triangle

2 Corner

3 x 6

3 x 12

4 x 4 Circle

Demilune

1.5 x 6 Trim

* Has finished edges on one 6" and 1-1/2" side

Sizes & Finishes (Available in all colors)

FIELD TILE

	Nominal Size (in)	Actual (in)	Thickness (in)	Finish
3 x 6	3 x 6	3 x 6	3/8	Gloss
3 x 12	3 x 12	3 x 12	3/8	Gloss
6 x 6	6 x 6	6 x 6	3/8	Gloss
Circle	4 x 4	4 x 4	3/8	Gloss
Demilune	2 x 4	2 x 4	3/8	Gloss
4-Corner	6 x 6	6 x 6	3/8	Gloss
2-Corner	3 x 6	3 x 6	3/8	Gloss
Triangle	6 x 6	6 x 6	3/8	Gloss

Crossville recommends a minimum 1/8 inch - 1/4 inch grout joint.
This tile is calibrated (non-rectified).

COORDINATING TRIM

Nominal (in)	Actual (in)	Thickness (in)	Finish
1-1/2 x 6*	1-3/8 x 6	3/8	Gloss

* Has finished edges on one 6" and 1-1/2" side

Recommended Use

Cursive tile is recommended for interior vertical surfaces in residential and commercial applications.

Cursive tiles are manufactured to appear handmade. As such, actual installations will have an inherent, intentional variations that occur in size, thickness, flatness and color, as well as grout joint to grout joint.



Handwritten

- Handmade styles provide unique look
- Elegant shapes interact for design options
- Beautiful colors add to design possibilities
- Variety of trim pieces to finish your design

Handwritten Wall Tile

Visit the website to learn more:
CrossvilleInc.com/Products/Handwritten



Available Colors



HWR01 Unscripted



HWR02 Post Card



HWR03 Private Affair




HWR04 Dear Sir



HWR05 Par Avion




HWR06 Pen Pal



HWR07 Gold Leaf



HWR08 Love Letter



HWR09 Inkwell

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)**	Thickness (in)	Finish
3 x 6	3/8	Gloss
3 x 12	3/8	Gloss
3 x 6 Picket	3/8	Gloss
3 x 6 Gothic Picket	3/8	Gloss

Crossville recommends an 1/8 inch - 1/4 inch grout joint.

MOSAICS

Nominal (in)**	Thickness (in)	Finish
Diamond Mosaic*	3/8	Gloss
Leaf Mosaic*	3/8	Gloss

*Mosaics are mounted on 12 x 12 sheets with an 1/8 inch - 1/4 inch grout joint.

COORDINATING TRIM


Nominal (in)**	Thickness (in)	Finish
1/2 x 6 Arrow Liner	5/8	Gloss
1/2 x 6 Dome Liner	5/8	Gloss
2-1/2 x 6 Chair Rail	3/4	Gloss
3 x 6 Bullnose	3/8	Gloss
3 x 3 Bullnose Corner	3/8	Gloss



** Handcrafted Variation

Handwritten tiles are manufactured to appear handmade. Due to this handmade appearance, variations in size, thickness, flatness and color are to be expected. Therefore, blending the tile before and during installation is recommended.

Example Sizes (Field tile available in all colors)



Recommended Use

Crossville recommends Handwritten tile for interior vertical surfaces in all residential and light commercial applications. Applications may include light-duty bathroom walls, vanity tops, kitchen backsplashes, and light-duty kitchen countertops.





Simpatico

- Features contemporary textures is gloss or satin finishes
- 6 x 24 and 12 x 24 inch formats offer added versatility
- Coordinates with Color by Numbers

Simpatico Wall Tile


Visit the website to learn more:
CrossvilleInc.com/Products/Simpatico






Available Colors

Neutrals



LWT02 Fellowship Gloss/Satin*
Coordinates with Color by Numbers WT02 Tea For Two




LWT03 Connection Gloss/Satin*
Coordinates with Color by Numbers WT03 Three Hour Tour



LWT17 Sync Gloss/Satin*
Coordinates with Color by Numbers WT17 Edge of Seventeen




LWT18 Goodwill Gloss/Satin*
Coordinates with Color by Numbers WT18 1812 Overture



LWT06 Camaraderie Gloss/Satin*
Coordinates with Color by Numbers WT06 Sixth Sense

Textures (Available in LWT02 only, 12 x 24 only)*



LWT02.11224BOTG Botanic Gloss
LWT02.11224BOTS Botanic Satin



LWT02.11224CUBG Cube Gloss
LWT02.11224CUBS Cube Satin

Brights



LWT22 Kinship Gloss

Sizes & Finishes (Available in all colors)

FIELD TILE

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 24	146 x 590	9.3	Gloss/Satin*
12 x 24	294 x 590	9.3	Gloss/Satin*

Crossville recommends a minimum 2mm grout joint.

* Please note that color LWT22 is only available in gloss finish and all textures are only available in the 12 x 24 size. This tile is calibrated (non-rectified).

COORDINATING TRIM (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
3 x 24 Single Bullnose*	71.4 x 590	9.3	Gloss/Satin*

*Bullnose only available in neutral colors.




3 x 24 Single Bullnose

Recommended Use

Simpatico tile is recommended for interior vertical surfaces in all residential and light commercial applications.


Example Sizes (Field tile available in all colors)



12 x 24



6 x 24





Swatches

- Three color sets that make creating and specifying wall applications simple + fun
- 16 unique colors
- Choose between satin or gloss for 10 of the 16 colors (others are gloss only)
- Variety of sizes of field tile and trim available


Swatches Wall Tile

Visit the website to learn more:
CrossvilleInc.com/Products/Swatches



Available Colors


Necessary Objects



NEC01 Cotton Gloss/Satin



NEC02 Eggshell Gloss/Satin




NEC03 Stone Gloss/Satin




NEC04 Coal Gloss/Satin

Neutral Territory



NEU11 Shadow Gloss/Satin




NEU12 Warm Silver Gloss/Satin



NEU13 Seashell Gloss/Satin



NEU14 Old Lace Gloss/Satin



NEU15 Smokestack Gloss/Satin



NEU16 Sea Ice Gloss/Satin

Brilliant Deduction



BRI21 Cobalt Gloss



BRI22 Mulberry Gloss



BRI23 Lipstick Gloss



BRI24 Pineapple Gloss



BRI25 Petrol Gloss



BRI26 Spruce Gloss



Swatches Wall Tile



Wall: **Swatches** | NEC01 Cotton | NEC03 Stone | NEC04 Coal
Countertop: **Crossville Porcelain Countertops** | PC009 Black Tie | PC012 State of Grace
Inspired by Gina Vanarelli: Garden State Tile

Sizes & Finishes (See chart for availability)

FIELD TILE

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
3 x 6	73 x 148	8	Gloss/Satin*
6 x 6	148 x 148	8	Gloss/Satin*
2 x 8	48 x 198	8	Gloss/Satin*
4 x 8	98 x 198	8	Gloss/Satin*
3 x 12	73 x 298	8	Gloss/Satin*

Crossville recommends a minimum 2mm grout joint.

This product is calibrated (non-rectified).


* Please note that all Brilliant Deduction colors are only available in gloss finish.

COORDINATING TRIM

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
3 x 6 Single Bullnose	73 x 148	8	Gloss/Satin*
4 x 8 Single Bullnose	98 x 198	8	Gloss/Satin*
3 x 12 Single Bullnose	73 x 298	8	Gloss/Satin*
3 x 3 Double Bullnose	73 x 73	8	Gloss/Satin*
4 x 4 Double Bullnose	98 x 98	8	Gloss/Satin*
4 x 8 Cove Base	98 x 198	8	Gloss/Satin*
4 x 8 Cove Base Corner Left/Right	98 x 198	8	Gloss/Satin*



Example Sizes (See chart for availability)



Recommended Use

Swatches tile is recommended for interior vertical surfaces in residential and commercial applications.

COLOR/SIZE AVAILABILITY CHART

Collection	Color	Finish	Field Tile					Trim							
			2x8	4x8	3x12	6x6	3x6	4x8 SBN	3x12 SBN	3x6 SBN	4x4 DBN	3x3 DBN	4x8 CB	4x8 CBL	4x8 CBR
Necessary Objects	NEC01	Satin	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC01	Gloss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC02	Satin	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC02	Gloss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC03	Satin	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC03	Gloss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC04	Satin	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	NEC04	Gloss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Neutral Territory	NEU11	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU11	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU12	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU12	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU13	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU13	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU14	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU14	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU15	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU15	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU16	Satin		✓	✓			✓	✓		✓	✓	✓	✓	✓
	NEU16	Gloss		✓	✓			✓	✓		✓	✓	✓	✓	✓
Brilliant Deduction	BRI21	Gloss			✓										
	BRI22	Gloss			✓										
	BRI23	Gloss			✓										
	BRI24	Gloss			✓										
	BRI25	Gloss			✓										
	BRI26	Gloss			✓										




Wall: I Naturali | L0572 Pietra Gray Polished
Floor: I Naturali | L0571 Pietra Gray Bush Hammered


Porcelain Tile Panels by Laminam®



Inside | Pietra Di Cardoso Grigio Flamed - L9363



Filo | Mercurio L2382



Ardesia a Spacco | Arabescato Bush Hammered - L7919



Ardesia a Spacco | Nero - L9758



Cava | Noir Desir Polished - F0372



Ossido | Verderame - L9960 5.6

- ARDESIA A SPACCO
- BLEND
- CALCE
- CAVA
- COLLECTION
- FILO
- FOKOS
- I NATURALI
- I NATURALI PIETRA DI SAVOIA
- INSIDE
- OSSIDO
- OXIDE



Your Advantage...

CROSSVILLE PORCELAIN TILE PANELS.


Crossville is the leading supplier of gauged porcelain tile panels in the United States. We were one of the first to bring this material to the US, and stock over 60 skus in our Tennessee-based warehouse. We have trained thousands of installers on how to successfully handle the material, providing online resources to inspire and empower. Our goal is to make your designs the best they can be, and with best in class materials, handling, and installation, we do just that. With Crossville, what inspires you, inspires us to bring the best in porcelain innovations everyday.

TECHNICAL SPECIFICATIONS

- Dimensions 1000mm x 3000mm
- 3+: 51.66 lbs / pc
- 5.6: 93.96 lbs / pc
- 5+: 113 lbs / pc (size: 1200x3000mm)



39" x 118" (1000mm x 3000mm)



3+, 5.6 and 5+MM

Porcelain obtained by wet grinding of clayish raw materials, granite and metamorphic, feldspar-containing rocks and ceramic pigments. Compacted by a special shaping in compactor and sintering at 1200°C, with controlled firing.

DISTINCTIVE VALUES

HEAVY DUTY

- Stain resistant
- Resistant to heat and high temperatures
- Resistant to chemicals, acids, alkalis, and solvents
- Resistant to scratching and abrasions
- Fire resistant

EASY TO MAINTAIN

- Requires no special cleaning products
- Resistant to mold and fungi
- Graffiti resistant

PERFECT FOR OUTDOORS

- Frost resistant
- Colorfast in UV light and severe climate change

EASY TO CUT

- Dimensional stability makes it easier to cut
- Stressless product to prevent splintering and cracking
- No stress cuts are required



CHEMICAL RESISTANCE

Crossville Porcelain Tile Panels resist organic and inorganic solvents, disinfectants and detergents. They can be easily cleaned without affecting its surface characteristics; the only product that can attack our counters is hydrofluoric acid.



WEAR RESISTANCE

Crossville Porcelain Tile Panels are highly scratch resistant and resistant to deep abrasion. The properties of the Porcelain Tile Panels remain unchanged even after intensive use and frequent cleaning.



HIGH FLEXURAL STRENGTH

Crossville Porcelain Tile Panels have high modulus of rupture.



FROST RESISTANCE

Crossville Porcelain Tile Panels' average water absorption is 0.1% making them frost resistant in any weather condition.



FIRE RESISTANT

Crossville Porcelain Tile Panels do not contain organic material therefore are resistant to fire and high temperatures.



CHROMATIC PROPERTIES

Crossville Porcelain Tile Panels do not contain organic pigments and are resistant to UV rays. Even in the harshest sunlight colors stay true.



GRAFFITI

Crossville Porcelain Tile Panels are graffiti resistant. Even the strongest paints can be removed.

APPLICATIONS

Crossville Porcelain Tile Panels are suitable for many interior and exterior applications:

- Building Sector • Interior Design • Shipbuilding Sector.
- Composite And Structural Panels



Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Third party certified, pre-consumer, recycled content certificates available on the website.





Cabinet Fronts and Floor: **I Naturali** | Pietra di Savoia Griga L4552
Telekom Partners
Architect: Keggnhoff Partners



**Crossville® Porcelain Tile
Panels Index. Colors
and Groups Chart.**

PORCELAIN TILE PANEL INDEX, COLORS & GROUPS

Group 1 (3+)



I Naturali 3+ p.166
L7298 Statuario Venato



I Naturali 3+ p.180
L7297 Calacatta Oro Venato Matte



Collection 3+ p.160
L0402 Perla



Collection 3+ p.160
L0102 Neve



Cava 3+ p.158
L7923 Bianco Lasa Matte



Calce 3+ p.156
F6372 Avorio



I Naturali 3+ p.166
L2224 Travertino Avorio



Blend 3+ p.154
L2048 Avorio



Calce 3+ p.156
F6385 Bianco



Cava 3+ p.180
L7930 Diamond Cream Matte



Fokos 3+ p.180
L4903 Rena



Legno Venezia 3+ p.180
L7301 Corda



Fokos 3+ p.180
L4489 Sale



Calce 3+ p.156
F6376 Grigio



I Naturali 3+ p.166
L3121 Ossidiana Vena Chiara



Calce 3+ p.156
F6382 Tortora



Legno Venezia 3+ p.180
L7180 Sabbia



I Naturali 3+ p.166
L3122 Ossidiana Vena Grigia



Fokos 3+ p.180
L4496 Terra



Collection 3+ p.180
L0047 Fumo




Collection 3+ p.160
L0046 Nero



Legno Venezia 3+ p.180
L7287 Fumo



Blend 3+ p.154
L1367 Grigio




Calce 3+ p.156
F6373 Antracite



Calce 3+ p.156
F6379 Nero



I Naturali 3+ p.180
L2742 Basalto Vena Scura




Blend 3+ p.154
L1510 Nero



I Naturali 3+ p.180
L7935 Emperador Extra Matte



I Naturali 3+ p.166
L2770 Ossidiana Vena Scura




Cava 3+ p.180
L7940 Nero Greco Matte



Fokos 3+ p.180
L4482 Roccia



Collection 3+ p.180
L0110 Avorio



Fokos 3+ p.180
L4879 Piombo Matte



I Naturali 3+ p.180
L2225 Basalto Vena Chiara

Porcelain Tile Panel Specifications

Thickness	3+	5.6	5+
Sizes	1 m x 3m (39" x 118")	1 m x 3m (39" x 118")	1.2 m x 3m (47.244" x 118")
Sq Ft / pieces	32.29 sq. ft./piece	32.29 sq. ft./piece	38.75 sq. ft./piece
Lbs /piece	51.66 lbs./piece	93.96 lbs./piece	113 lbs./piece

Legend:

- ◆ Polished
- ↑ 1200 x 300
- ≡ Bush Hammered or Flamed Texture
- Special Order

Group 2 (3+)



Oxide 3+ p.176
L3439 Bianco



Oxide 3+ p.176
L2012 Avorio



Oxide 3+ p.176
L2013 Perla




I Naturali 3+ p.180
L5254 Pietra di Savoia
Perla



I Naturali 3+ p.180
L6189 Pietra di Savoia
Avorio



I Naturali 3+ p.180
L4968 Pietra di Savoia
Grigia



I Naturali 3+ p.180
L5136 Pietra di Savoia
Antracite




Ossido 3+ p.180
L7027 Nero




Oxide 3+ p.176
L1461 Nero



Collection 3+ p.180
L8938 Nero Assoluto



Oxide 3+ p.176
L1462 Moro



Ossido 3+ p.180
L7028 Bruno




Ossido 3+ p.180
L9962 Verderame

Group 2 (5.6)




I Naturali 5.6 p.166
L5778 Statuario Venato
Matte




Calce 5.6 p.180
L7012 Avorio




Blend 5.6 p.180
L4538 Avorio



Calce 5.6 p.180
L7016 Bianco



Fokos 5.6 p.164
L3914 Sale



Calce 5.6 p.180
L6556 Grigio




Cementi 5.6 p.180
L9024 Avorio Bush
Hammered




Fokos 5.6 p.164
L3917 Rena




Fokos 5.6 p.164
L3915 Terra




Cementi 5.6 p.180
L9026 Grigio
Bush Hammered




Blend 5.6 p.180
L3521 Grigio



Calce 5.6 p.180
L7014 Tortora




Calce 5.6 p.180
L7013 Antracite



Fokos 5.6 p.164
L3916 Roccia



Calce 5.6 p.180
L7015 Nero



Blend 5.6 p.180
L4401 Nero




Cementi 5.6 p.180
L9022 Nero
Bush Hammered


Group 3 (3+)




Collection 3+ p.160
L8494 Bianco Assoluto Matte




I Naturali 3+ p.180
L8935 Statuarietto Matte




Filo 3+ p.162
L2879 Brina




Cava 3+ p.180
L7945 Noir Desir Matte




I Naturali 3+ p.180
L7947 Pietra Gray Matte



Filo 3+ p.162
L2093 Oro



Filo 3+ p.162
L2092 Argento



Filo 3+ p.162
L2882 Mercurio



Filo 3+ p.162
L2095 Ghisa



Filo 3+ p.162
L2880 Pece



Seta 3+ p.180
F7467 Oro



Seta 3+ p.180
F7466 Glace



Seta 3+ p.180
F7465 Liquorice



Seta 3+ p.180
F7464 Gris

Group 3 (5.6)



I Naturali 5.6 p.166
L7954 Statuarietto Bush Hammered



I Naturali 5.6 p.166
L7919 Arabescato Bush Hammered



I Naturali 5.6 p.166
L6093 Calacatta Oro Venato Matte



Oxide 5.6 p.180
L4382 Bianco



I Naturali 5.6 p.180
L4959 Travertino Navona Bush Hammered




Oxide 5.6 p.180
L4035 Avorio



Cava 5.6 p.158
F7048 Bianco Lasa Bush Hammered



Collection 5.6 p.180
L0018 Perla Polished



Cava 5.6 p.158
F7049 Diamond Cream Bush Hammered



Legno Venezia 5.6 p.180
L7127 Corda



I Naturali 5.6 p.180
L4938 Travertino Romano Bush Hammered



I Naturali 5.6 p.166
L8705 Travertino Grigio Venato Bush Hammered




Legno Venezia 5.6 p.180
L7128 Sabbia



Legno Venezia 5.6 p.180
L7313 Fumo




I Naturali 5.6 p.166
L7951 Pietra Gray Bush Hammered




In-Side 5.6 p.180
L9358 Pietra-Piasentina Grigio Natural



In-Side 5.6 p.180
L9359 Pietra-Piasentina Grigio Flamed



In-Side 5.6 p.172
L9362 Pietra-Di-Cardoso Grigio Natural




In-Side 5.6 p.172
L9363 Pietra di Cardoso Grigio Flamed




Oxide 5.6 p.180
L4018 Nero




In-Side 5.6 p.180
L9371 Porfido Marrone Flamed




In-Side 5.6 p.180
L9797 Pietra-Piasentina Taupe Natural



In-Side 5.6 p.180
L9041 Pietra-Piasentina Taupe Flamed




I Naturali 5.6 p.180
L7937 Emperador Extra Bush Hammered




Cava 5.6 p.180
F7045 Noir Desir Bush Hammered



In-Side 5.6 p.180
L9370 Porfido Marrone Natural



Ossido 5.6 p.174
L7031 Bruno



Cava 5.6 p.180
F7046 Nero Greco Bush Hammered




In-Side 5.6 p.172
L9364 Pietra-Di-Cardoso Nero Natural




In-Side 5.6 p.172
L9365 Pietra-Di-Cardoso Nero Flamed



Ossido 5.6 p.174
L7032 Nero



Ossido 5.6 p.174
L9960 Verderame




I Naturali 5+ p.180
L0646 Sahara Noir Bush Hammered



Collection 5.6 p.160
L7956 Bianco Assoluto Matte



Ardesia a Spacco 5+ p.152
L9767 Bianco



Collection 5.6 p.180
L3502 Perla Matte



Collection 5.6 p.160
L8643 Nero Assoluto Matte



Ardesia a Spacco 5+ p.152
L9758 Nero




I Naturali 5.6 p.166
L5253 Pietra di Savoia Antracite




I Naturali 5.6 p.166
L5905 Pietra di Savoia Avorio Bush Hammered



I Naturali 5.6 p.166
L5135 Pietra di Savoia Perla Bush Hammered



I Naturali 5.6 p.166
L4552 Pietra di Savoia Grigia



I Naturali 5.6 p.166
L8752 Statuario Altissimo Matte




I Naturali 5.6 p.166
L8751 Calacatta Michelangelo Matte



I Naturali 5.6 p.180
L8948 Invisible White Matte




Collection 5.6 p.160
L0577 Bianco Assoluto Polished



I Naturali 5.6 p.166
L0798 Statuario Altissimo Polished



I Naturali 5.6 p.166
L0797 Calacatta Michelangelo Polished



I Naturali 5.6 p.180
L0870 Invisible White Polished



I Naturali 5.6 p.166
L0566 Arabescato Polished



I Naturali 5.6 p.166
L0319 Statuario Venato Polished




I Naturali 5.6 p.166
L0575 Statuarietto Polished




I Naturali 5.6 p.166
L0318 Calacatta Oro Venato Polished




Cava 5.6 p.158
F0375 Bianco Lasa Polished




Cava 5.6 p.180
F0376 Diamond Cream Polished



I Naturali 5.6 p.166
L0572 Pietra Gray Polished




I Naturali 5.6 p.180
L0569 Emperador Extra Polished



Cava 5.6 p.158
F0373 Nero Greco Polished



Cava 5.6 p.158
F0372 Noir Desir Polished




I Naturali 5+ p.167
L1202 Sahara Noir Polished




I Naturali 5.6 p.180
L6093.1M3MBM Calacatta Oro Venato Bookmatch Matte (Sold as 2 pieces)



I Naturali 5.6 p.180
L0318.1M3MBM Calacatta Oro Venato Bookmatch Polished (Sold as 2 pieces)



I Naturali 5.6 p.180
L5778.1M3MBM Statuario Venato Bookmatch Matte (Sold as 2 pieces)



I Naturali 5.6 p.166
L0319.1M3MBM Statuario Venato Bookmatch Polished (Sold as 2 pieces)






Ardesia a Spacco

For over 2,500 years, Pietra di Lavagna slate from Liguria, Italy has been revered as an elegant, sophisticated surfacing material. Honoring this traditional stone, our artisans were inspired to create a naturally clefted slate look—Ardesia a Spacco, a porcelain panel unlike any other. The result is a superior performing panel with strength and resilience found only in porcelain. **Visit the website to learn more: CrossvilleInc.com/Products/Ardesia-A-Spacco**

Available Colors



Stocking Nero - L9758 - 5+ (Floors & Walls)



Stocking Bianco - L9767- 5+ (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1.2 meter x 3 meter panels (1200x3000mm | 47.244" x 118")

Piece	5+
Lbs./piece	38.75 sq. ft./piece 113 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean. If you or your projects are outside of these areas, please contact your country's distributor.

Size



1.2M x 3M





Blend

Flexible and versatile and inspired by cement, with a special speckled visual effect. It reveals remarkably broad-ranging application possibilities, making it ideal for both the world of interior design. Visit the website to learn more: CrossvilleInc.com/Products/Blend


Available Colors



Stocking Avorio - L2048 - 3+ (Walls)



Stocking Grigio - L1367 - 3+ (Walls)



Stocking Nero - L1510 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.


1 meter x 3 meter panels (1000x3000mm | 39" x 118")

Piece	32.29 sq. ft./piece	3+
Lbs./piece	51.66 lbs./piece	

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.





Wall: **Calce** | Nero F6379 3+
Mercedes Benz
Heilbronn / Germany
GRAFT STUDIO

Calce


Neutral colors and delicate nuances mark the face of Calce, a line inspired by wet plaster and concrete. The combination results in a soft, chalky visual that is both sophisticated and thoroughly contemporary. This soft whisper makes a bold statement. Visit the website to learn more:

CrossvilleInc.com/Products/Calce

Available Colors



Stocking Bianco - F6385 - 3+ (Walls)



Stocking Tortora - F6382 - 3+ (Walls)



Stocking Avorio - F6372 - 3+ (Walls)



Stocking Antracite - F6373 - 3+ (Walls)



Stocking Grigio - F6376 - 3+ (Walls)



Stocking Nero - F6379 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+
Piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M




Cava

With looks as good as natural stone delivered straight from the quarry, Cava brings you all of the style with unsurpassable performance. Utilizing state of the art technology, each vein is rendered to remarkably authentic effect. The result, supersized stone looks guaranteed to be even better than the real thing!

Available Colors



Stocking Bianco Lasa Polished** - F0375 - 5.6 (Floors & Walls)




Stocking Noir Desir Polished** - F0372 - 5.6 (Floors & Walls)



Stocking Bianco Lasa Bush Hammered - F7048 - 5.6 (Floors & Walls)



Stocking Nero Greco Polished** - F0373 - 5.6 (Floors & Walls)



Stocking Diamond Cream Bush Hammered - F7049 - 5.6 (Floors & Walls)

**Polished finishes require a penetrating sealer prior to grouting.
Please Note: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur.

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

Piece	5.6
Lbs./piece	32.29 sq. ft./piece 93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.
 Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.
 If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M





Collection

The most historical collection fully represents the concept of versatility: a new way to surface for use in both commercial and residential projects. Visit the website to learn more: CrossvilleInc.com/Products/Collection


Available Colors



Stocking Neve - L0102 - 3+ (Walls)




Stocking Perla - L0402 - 3+ (Walls)



Stocking Bianco Assoluto - L0577 Polished - 5.6 (Floors & Walls)




Stocking Nero Assoluto- L8643 - 5.6 (Floors & Walls)



Stocking Bianco Assoluto - L8494 Matte - 3+ (Walls)

Stocking Bianco Assoluto - L7956 Matte - 5.6 (Floors & Walls)



Stocking Nero - L0046 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+	5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M





◀ 201 - 202

203-219 ▶

204

Filo

Technology and research into materials lead to the creation of a surprising texture, stemming from the image of a continually repeated glistening wire that forms a woven pattern, a shiny metal surface. Visit the website to learn more: CrossvilleInc.com/Products/Filo


Available Colors



Stocking Brina - L2879 - 3+ (Walls)




Stocking Ghisa - L2095 - 3+ (Walls)




Stocking Argento - L2092 - 3+ (Walls)



Stocking Pece - L2880 - 3+ (Walls)



Stocking Oro - L2093 - 3+ (Walls)



Stocking Mercurio - L2882 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.


1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+
Piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.





Fokos

Sand, earth, salt, and rock come together in a palette inspired by Grecian landscape. Where earth meets man and nature converges with design you find Fokos. Visit the website to learn more: CrossvilleInc.com/Products/Fokos

Available Colors



Stocking Sale - L3914 - 5.6 (Floors & Walls)



Stocking Rena - L3917 - 5.6 (Floors & Walls)



Stocking Roccia - L3916 - 5.6 (Floors & Walls)



Stocking Terra - L3915 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

Piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece


Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean. If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M




i Naturali

Maximum freedom of expression and unexplored possibilities in interior design create a unique collection, which enhances the formal elegance of stone in large dimensions, with reduced thickness, easy handling and speedy application. Visit the website to learn more: CrossvilleInc.com/Products/I-Naturali

Available Colors



Stocking Ossidiana Vena Chiara - L3121 - 3+ (Walls)



Stocking Pietra Gray Polished - L0572 - 5.6 (Floors & Walls)



Stocking Ossidiana Vena Grigia - L3122 - 3+ (Walls)



Stocking Ossidiana Vena Scura - L2770 - 3+ (Walls)




Stocking Travertino Grigio Venato Bush Hammered - L8705 - 5.6 (Floors & Walls)



Stocking Travertino Avorio L2224 - 3+ (Walls)



Stocking Pietra Gray Bush Hammered - L7951 - 5.6 (Floors & Walls)



Stocking Sahara Noir Polished - L1202.11W3M5+
(5+ – 1200 x 3000mm | (47.244" x 118"))

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+	5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece
Lbs./piece		93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M






i Naturali

Available Colors (continued)

Porcelain Tile Panels



Stocking Statuario Altissimo Matte - L8752 - 5.6 (Floors & Walls)
Stocking Statuario Altissimo Polished - L0798 - 5.6 (Floors & Walls)



Stocking Calacatta Michelangelo Matte - L8751 - 5.6 (Floors & Walls)
Stocking Calacatta Michelangelo Polished - L0797 - 5.6 (Floors & Walls)



Stocking Statuarietto Polished - L0575 - 5.6 (Floors & Walls)
Stocking Statuarietto Bush Hammered - L7954 - 5.6 (Floors & Walls)




Stocking Arabescato Bush Hammered - L7919 - 5.6 (Floors & Walls)
Stocking Arabescato Polished - L0566 - 5.6 (Floors & Walls)



Stocking Calacatta Oro Venato - L6093 - 5.6 (Floors & Walls)
Stocking Calacatta Oro Venato Polished - L0318 - 5.6 (Floors & Walls)



Stocking Statuario Venato - L7298 - 3+ (Walls)
Stocking Statuario Venato - L5778 - 5.6 (Floors & Walls)
Stocking Statuario Venato Polished - L0319 - 5.6 (Floors & Walls)



Stocking Statuario Venato Bookmatch Polished - L0319.1M3MBM - 5.6
Sold as 2 pieces (Floors & Walls)





I Naturali Pietra di Savoia

Maximum freedom of expression and unexplored possibilities in interior design create a unique collection, which enhances the formal elegance of stone in large dimensions, with reduced thickness, easy handling and speedy application. Visit the website to learn more: CrossvilleInc.com/Products/I-Naturali

Available Colors



Stocking Pietra di Savoia Avorio - L5905 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Grigia - L4552 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Perla - L5135 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Antracite - L5253 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+	5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M






Inside

Inspired by Pietra del Cardoso, a deep-blue grey sandstone mined only in the Apuan Alps, In-Side combines the mixture of natural raw materials with variable grain sizes, resulting in a textural, blended material that is typical of natural stone. In fact, the continuity of the material through-and-through makes the collection an important new tool in the hands of interior designers: even after being cut, drilled and chamfered during production, the body and surface of the material still share the same appearance. Visit the website to learn more: CrossvilleInc.com/Products/Inside

Available Colors




Stocking Pietra-Di-Cardoso Nero Natural - L9364 - 5.6 (Floors & Walls)



Stocking Pietra-Di-Cardoso Grigio Natural - L9362 - 5.6 (Floors & Walls)



Stocking Pietra-Di-Cardoso Nero Flamed - L9365 - 5.6 (Floors & Walls)



Stocking Pietra-Di-Cardoso Grigio Flamed - L9363 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

Piece	5.6
Lbs./piece	32.29 sq. ft./piece 93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean. If you or your projects are outside of these areas, please contact your country's distributor.

Size



1M x 3M





Ossido Porcelain Tile Panels



Ossido

Big gets bold with Crossville's Ossido porcelain tile panels by Laminam. Each panel evokes the look of materials left to weather and oxidize, capturing the perfect moment of nature's transformation in porcelain. From verdigris copper to weathered steel, each 1m x 3m panel is packed with personality and visual texture that will never corrode or transfer like the materials that inspired it. This true merger between art and the best in ceramics technology offers a new, rich palette of everlasting style for designers and architects alike. Stocked in 5.6mm for floors, walls, and counters, Ossido is also available in 3+ for walls through special order. Visit the website to learn more: CrossvilleInc.com/Products/Ossido

Available Colors



Stocking Nero - L7032 5.6 (Floors & Walls)



Stocking Bruno - L7031 - 5.6 (Floors & Walls)



Stocking Verderame - L9960 5.6 (Floors & Walls)

1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+	5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean. If you or your projects are outside of these areas, please contact your country's distributor.





Right Hand Wall: **Oxide** | Avorio 3+ L2012
Floor: **Oxide** | Avorio 5.6 L4035 (Special Order)


Oxide

Oxide collection evokes metal that has reacted to sunlight and has been exposed to the weather over time. This collection was devised to embellish settings with character, which has surprisingly become the solution for a total look. Visit the website to learn more: CrossvilleInc.com/Products/Oxide

Available Colors



Stocking Bianco - L3439 - 3+ (Walls)



Stocking Nero - L1461 - 3+ (Walls)



Stocking Perla - L2013 - 3+ (Walls)



Stocking Moro - L1462 - 3+ (Walls)



Stocking Avorio - L2012 - 3+ (Walls)


1 meter x 3 meter panels (1000x3000mm | 39" x 118")

	3+
Piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece

Porcelain Tile Panels arrive in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Crossville technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.

Please note - Crossville Inc. is the sole distributor of Laminam in the United States and the Caribbean.

If you or your projects are outside of these areas, please contact your country's distributor.





Think thin with Crossville's porcelain panels... with tile over tile

Updating a space that has existing but dated tile is highly desirable. Demolition, downtime, and dollars may make a full remodel unattainable. Crossville's Porcelain Tile Panels offer many unique and highly functional features including a new approach to remodeling – Tile-Over-Tile.

Create a fresh and flawless space in a faster turnaround when you capture the benefits of a Tile-Over-Tile project:

TIME IS MONEY

- Faster room turnaround to quickly reestablish the function and usage of the space
- Lower material and labor costs
- Removing the tile added for tear out and replacement of substrates can significantly reduce the overall time for the remodel

NO OR REDUCED DEMOLITION

- Eliminate sound and health contamination
- Reduce waste to landfills
- Minimalize dirt and dust during installation
- Lower Volatile organic compounds (VOC)



Project: Bouchard Insurance
Clearwater, Florida

Industry: Office

Collections: I Naturali

Overview: For the walls and floors in this busy headquarters, the team sought a material that would allow for efficient installation, ideally by eliminating the need for complete demolition of the existing tiled surfaces in the restrooms. Crossville's porcelain tile panels proved to be the ideal specification.

Project Participants

Architect: Ai Collaborative, Inc.

Owner/Client: Bouchard Insurance

General Contractor: Bay Area Building Solutions

Distributor: Crossville Studios



Visit the website to see other case studies and learn more:
[CrossvilleInc.com/Design-Inspiration/Blog/Tile-Over-Tile-Installations-With-Crossville-Porcelain](https://www.crossvilleinc.com/Design-Inspiration/Blog/Tile-Over-Tile-Installations-With-Crossville-Porcelain-Tile-Panels)



LARGER, THIN TILE = BIG RESULTS

- Smaller and fewer grout joints reduces the opportunity for mold and bacteria
- Contemporary modern clean aesthetic
- Thin tile (3+mm and 5.6mm thickness) easily covers existing tile without adding bulk
- Easy to clean, simplified maintenance
- Lifecycle of porcelain ensures a lifetime of beauty and performance

Take a moment to consider when a Tile-Over-Tile project can add even more value to an installation.

Project: Bank of America Plaza at Las Olas City Centre, Fort Lauderdale, FL

Industry: Office

Collections: Cava

Overview: Searching for a product that would be large scale and could be installed over the existing floor, the design team found that Crossville's gauged porcelain tile panels in Cava provided a stylish solution to an upscale office renovation.

Design: MPA 360

Tile Distributor: D&B Tile Distributors

Tile Contractor: O'Neill Brothers Flooring



Technical Information

COLOR AND SIZE AVAILABILITY REFERENCE CHART

Series and Color	Item Codes	
	3+ 1M3M	5.6 1M3M
Blend Avorio	L2048.1M3M	L4538.1M3M
Blend Grigio	L1367.1M3M	L3521.1M3M
Blend Nero	L1510.1M3M	L4401.1M3M
Calce Antracite	F6373.1M3M	L7013.1M3M
Calce Avorio	F6372.1M3M	L7012.1M3M
Calce Bianco	F6385.1M3M	L7016.1M3M
Calce Grigio	F6376.1M3M	L6556.1M3M
Calce Nero	F6379.1M3M	L7015.1M3M
Calce Tortora	F6382.1M3M	L7014.1M3M
Cava Bianco Lasa Bush Hammered	-	F7048.1M3M
Cava Bianco Lasa Matte	L7932.1M3M	-
Cava Bianco Lasa Polished†	-	F0375.1M3M
Cava Diamond Cream Bush Hammered	-	F7049.1M3M
Cava Diamond Cream Matte	L7930.1M3M	-
Cava Diamond Cream Polished†	-	F0376.1M3M
Cava Nero Greco Bush Hammered	-	F7046.1M3M
Cava Nero Greco Matte	L7940.1M3M	-
Cava Nero Greco Polished†	-	F0373.1M3M
Cava Noir Desir Bush Hammered	-	F7045.1M3M
Cava Noir Desir Matte	L7945.1M3M	-
Cava Noir Desir Polished†	-	F0372.1M3M
Cementi Avorio Bush Hammered	-	L9024.1M3M
Cementi Grigio Bush Hammered	-	L9026.1M3M
Cementi Nero Bush Hammered	-	L9022.1M3M
Collection Avorio Matte	L0110.1M3M	-
Collection Bianco Assoluto Matte	L8494.1M3M	L7956.1M3M
Collection Bianco Assoluto Polished	-	L0577.1M3M
Collection Fumo Matte	L0047.1M3M	-
Collection Nero	L0046.1M3M	-
Collection Nero Assoluto	L8938.1M3M	L8643.1M3M
Collection Neve	L0102.1M3M	-
Collection Perla Matte	L0402.1M3M	L3502.1M3M
Collection Perla Polished†	-	L0018.1M3M
Filo Argentio	L2092.1M3M	-
Filo Brina	L2879.1M3M	-
Filo Ghisa	L2095.1M3M	-
Filo Mercurio	L2882.1M3M	-
Filo Oro	L2093.1M3M	-
Filo Pece	L2880.1M3M	-
Fokos Piombo	L4879.1M3M	L4338.1M3M
Fokos Rena	L4903.1M3M	L3917.1M3M
Fokos Roccia	L4482.1M3M	L3916.1M3M
Fokos Sale	L4489.1M3M	L3914.1M3M
Fokos Terra	L4496.1M3M	L3915.1M3M
I Naturali Arabascato Bush Hammered	-	L7919.1M3M
I Naturali Arabascato Polished	-	L0566.1M3M
I Natural Ardesia A Spacco Bianco Textured - 5+	-	L9767.11W3M5+*
I Natural Ardesia A Spacco Nero Textured - 5+	-	L9758.11W3M5+*
I Natural Basalto Vena Chiara Matte	L2225.1M3M	-
I Natural Basalto Vena Scura Matte	L2742.1M3M	-
I Naturali Calacatta Michelangelo	-	L8751.1M3M
I Naturali Calacatta Michelangelo Polished†	-	L0797.1M3M
I Naturali Calacatta Oro Venato	L7297.1M3M	L6093.1M3M
I Naturali Calacatta Oro Venato Polished†	-	L0318.1M3M

Series and Color	Item Codes	
	3+ 1M3M	5.6 1M3M
I Naturali Emperador Extra Bush Hammered	-	L7937.1M3M
I Naturali Emperador Extra Matte	L7935.1M3M	-
I Naturali Emperador Extra Polished†	-	L0569.1M3M
I Naturali Invisible White Matte	-	L8948.1M3M
I Naturali Invisible White Polished†	-	L0870.1M3M
I Naturali Ossidiana Vena Chiara	L3121.1M3M	-
I Naturali Ossidiana Vena Grigio	L3122.1M3M	-
I Naturali Ossidiana Vena Scura	L2770.1M3M	-
I Naturali Pietra Di Savoia Avorio	L6189.1M3M	L5905.1M3M
I Naturali Pietra Di Savoia Grigia	L4968.1M3M	L4552.1M3M
I Naturali Pietra Di Savoia Perla	L5254.1M3M	L5135.1M3M
I Naturali Pietra Di Savoia Antracite	L5136.1M3M	L5253.1M3M
I Naturali Pietra Gray Bush Hammered	-	L7951.1M3M
I Naturali Pietra Gray Matte	L7947.1M3M	-
I Naturali Pietra Gray Polished†	-	L0572.1M3M
I Naturali Sahara Noir Polished†	-	L1202.11W3M5+*
I Naturali Sahara Noir Bush Hammered	-	L0646.11W3M5+*
I Naturali Statuarietto Bush Hammered	-	L7954.1M3M
I Naturali Statuarietto Matte	L8935.1M3M	-
I Naturali Statuarietto Polished†	-	L0575.1M3M
I Naturali Statuario Altissimo Matte	-	L8752.1M3M
I Naturali Statuario Altissimo Polished†	-	L0798.1M3M
I Naturali Statuario Venato	L7298.1M3M	L5778.1M3M
I Naturali Statuario Venato Polished†	-	L0319.1M3M
I Naturali Travertino Avorio	L2224.1M3M	-
I Naturali Travertino Grigio Venato Bush Hammered	-	L8705.1M3M
I Naturali Travertino Navona Bush Hammered	-	L4959.1M3M
I Naturali Travertino Romano Bush Hammered	-	L4938.1M3M
Inside Pietra-Di-Cardoso Grigio Matte	-	L9362.1M3M
Inside Pietra-Di-Cardoso Grigio Flamed	-	L9363.1M3M
Inside Pietra-Di-Cardoso Nero Matte	-	L9364.1M3M
Inside Pietra-Di-Cardoso Nero Flamed	-	L9365.1M3M
Inside Pietra-Piasentina Grigio Matte	-	L9358.1M3M
Inside Pietra-Piasentina Grigio Flamed	-	L9359.1M3M
Inside Pietra-Piasentina Taupe Matte	-	L9797.1M3M
Inside Pietra-Piasentina Taupe Flamed	-	L9041.1M3M
Inside Porfido Marrone Matte	-	L9370.1M3M
Inside Porfido Marrone Flamed	-	L9371.1M3M
Legno Venezia Corda	L7301.1M3M	L7127.1M3M
Legno Venezia Fumo	L7287.1M3M	L7313.1M3M
Legno Venezia Sabbia	L7180.1M3M	L7128.1M3M
Ossido Bruno	L7028.1M3M	L7031.1M3M
Ossido Nero	L7027.1M3M	L7032.1M3M
Ossido Verderame	L9962.1M3M	L9960.1M3M
Oxide Avorio	L2012.1M3M	L4035.1M3M
Oxide Bianco	L3439.1M3M	L4382.1M3M
Oxide Moro	L1462.1M3M	-
Oxide Nero	L1461.1M3M	L4018.1M3M
Oxide Perla	L2013.1M3M	-
Seta Glace	F7466.1M3M	-
Seta Gris	F7464.1M3M	-
Seta Liquorice	F7465.1M3M	-
Seta Oro	F7467.1M3M	-

■ Indicates that the item is Special Order. Special Order Items are full crate only. Allow minimum 14-16 weeks lead time. Please Contact Customer Service for lead times and availability.

* These panels are 5+mm thick and 1.2m x 3m in size.

- Indicates Item Code in the chart can not be produced.

† Polished Finishes require a penetrating sealer prior to grouting. 1M1M and additional cut sizes are also available as special order only. Allow 3-4 weeks lead time for custom cut.

Sustainability



SUSTAINABLE

- The use of hybrid kilns that combine gas and electricity significantly reduces CO2 emissions in the atmosphere
- Over a year, this photovoltaic system guarantees the production of around 1,050 GWh, thereby enabling the company to produce 10% of its energy requirements
- In terms of CO2 reduction, Laminam's photovoltaic roof system eliminates the release of 525 tons of CO2 into the atmosphere annually
- Laminam has led the way to a photovoltaic system being installed on the roofs of its two Fiorano Modenese plants
- Member of the Green Building Council Italia, this Italian association of manufacturing leaders strive to transform the building market towards environmental sustainability and to build livable communities. Partners of GBC Italia promote environmental, economic and social responsibility by innovating the way in which buildings are designed, built and used.

ENVIRONMENTAL PRODUCT DECLARATIONS (EPDs), MATERIAL INGREDIENT TRANSPARENCY, & CERTIFICATIONS



EPD for porcelain tile panels and slabs
• third-party certified and has optimization



CHPS Pre-Approved EPD and HPD
• porcelain tile panels and slabs



HPD for porcelain tile panels and slabs
• third-party verified



Design for Health by Mindclick - Leader
• includes porcelain tile panels and slabs



Declare Label for porcelain tile panels and slabs
• third-party verified and red list free

ENVIRONMENTAL STATEMENT

Crossville Porcelain Tile Panel collections are excellent choices for those seeking green surfacing solutions for design projects. These tile panels are responsibly made with natural raw materials in the heart of Italy's renowned tile production region. The panels are produced in one of the most advanced, environmentally sound manufacturing facilities in the world. Reflecting global standards in sustainability, the Crossville manufacturing process uses leading edge technology, recycling practices, and incorporates innovative methods to minimize waste and generate energy without depleting the earth's resources.

Created to meet Green Building Council standards, these panels support specifiers' goals for durable, healthy environments. The porcelain tile panels do not release emissions or substances into the environment. Manufacturing requires minimal maintenance, contributing to indoor air quality and providing ease of cleaning long term. The panels' superior performance characteristics lead to long product lifecycles—reducing the need

for replacement. However, should panels need to be removed, they can simply be separated from their mesh, milled, and recycled back into the tile production stream.

As porcelain tile panels' popularity grows, the green innovations at the Laminam manufacturing facility advance, do as well. The plant's recently installed photovoltaic roof has already produced 1 GWh of energy and is capable of generating an estimated 1.387 GWh within a year. This will cut CO2 emissions into the atmosphere by 617 tons and empower the Laminam plant to self-generate 15% of its energy requirements.

Distributed exclusively in the U.S. by Crossville, many Laminam porcelain tile panel collections are stocked on American soil. This not only allows for prompt order fulfillment, but it also aids in minimizing fuel and energy consumption related to international shipping and transportation.




Countertop – State of Grace Unpolished - PC011.1SLAB12

Porcelain Slabs




Wheat Field UP - PC013



Baltic UP - PC001



Black Tie UP - PC008
Prince Law Group, Las Vegas, Nevada
Lebo Design



Black Tie PO - PC009



Film Noir UP PC005

- BLACK TIE
- NIGHT WATCH
- FILM NOIR
- SUSPENSE
- BALTIC
- WHEAT FIELD
- FEMME FATALE
- LIGHTNING
- STATE OF GRACE
- SUGAR COAT



Your Advantage

CROSSVILLE PORCELAIN SLABS.

Other countertop materials may stain, crack, or yellow; our 0.47" (12mm) thick 100% porcelain products excel where other surfacing materials fail. The same as the porcelain tile and panel products you know, these beautiful designs are built to last. Just like your design.

Super-realistic visuals combine with advanced technical properties to outperform stone, quartz, and even other sintered and porcelain products available today.

Fired with added fiberglass reinforcement on the back, our slabs are high strength and non-porous. The result of world-class manufacturing is unparalleled in the industry.

HEAVY DUTY

- Stain resistant
- Resistant to heat and high temperatures
- Resistant to chemicals, acids, alkalis, and solvents
- Resistant to scratching and abrasions
- Fire resistant

EASY TO MAINTAIN

- Requires no special cleaning products
- Resistant to mold and fungi
- Graffiti resistant

PERFECT FOR OUTDOORS

- Frost resistant
- Colorfast in UV light and severe climate change

EASY TO FABRICATE

- Dimensional stability makes it easier to cut
- Stressless product to prevent splintering and cracking
- No stress cuts are required

Our unique combination of innovative porcelain products and incomparable customer service offers creative solutions that other slabs can't deliver.

Distinctive Values

MAIN FEATURES

Dimensions 63.8" x 127.5" (1620mm x 3240mm)
 Perfectly Flat
 12mm thick, 30kg/m²



63.8" x 127.5" (1620mm x 3240mm)



CHEMICAL RESISTANCE

Crossville Porcelain Slabs resist organic and inorganic solvents, disinfectants and detergents. They can be easily cleaned without affecting its surface characteristics; the only product that can attack our counters is hydrofluoric acid.



FIRE RESISTANT

Crossville Porcelain Slabs do not contain organic material therefore are resistant to fire and high temperatures.



WEAR RESISTANCE

Crossville Porcelain Slabs are highly scratch resistant and resistant to deep abrasion. The properties of the Slabs remain unchanged even after intensive use and frequent cleaning.



CHROMATIC PROPERTIES

Crossville Porcelain Slabs do not contain organic pigments and are resistant to UV rays. Even in the harshest sunlight colors stay true.

Exposure to direct, non-shaded sunlight will elevate the temperature of all porcelain products, especially darker colors. Please select products in accordance with the application to ensure maximum comfort.



HIGH FLEXURAL STRENGTH

Crossville Porcelain Slabs have high modulus of rupture.



GRAFFITI

Crossville Porcelain Slabs are graffiti resistant. Even the strongest paints can be removed.



FROST RESISTANCE


Crossville Porcelain Slabs' average water absorption is 0.1% making them frost resistant in any weather condition.



Crossville Porcelain Slabs

Crossville Porcelain Slabs where creative solutions don't compromise. Other slab materials may stain, crack, or yellow; our 12mm thick 100% porcelain products excel. The same as the porcelain tile and panel products you know, these beautiful designs are built to last. Just like your design.

COLOR INDEX



Black Tie p. 186

- Subtle white veining makes this the ultimate classic for dark counters
- Black body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant



Night Watch p. 188

- Coordinates with Crossville's Cava Noir Desir Porcelain Tile Panel
- Black body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant



Film Noir p. 190

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant



Suspense p. 191

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant




Femme Fatale p. 192

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant




Wheat Field p. 194

- The material mimics natural stones without the maintenance
- Warm neutral tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant



Baltic p. 196

- The material mimics natural stones without the maintenance
- Cool grey tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant




Lightning p. 198

- The material mimics natural stones without the maintenance
- Soft neutral tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant



State of Grace p. 200

- The material mimics natural stones without the impracticality of marble
- Coordinates with Crossville's State of Grace porcelain floor and wall tile
- White body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant



Sugar Coat p. 202

- The super white coloration extends through the body for uninterrupted edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Porcelain Slab Specifications

Thickness	12mm
Size	1620 x 3240mm (63.8" x 127.6")
Weight	30kg/m ²

Available Finishes:

- Unpolished
- ◆ Polished





Black Tie Porcelain Slabs



Black Tie UP - PC008
Grow Office
Norfolk Virginia
Photography: Yuzhu Zheng




Black Tie Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- Subtle white veining makes this the ultimate classic for dark counters
- Black body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

Black Tie UP - PC008.1SLAB12
Black Tie PO - PC009.1SLAB12








Night Watch Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- Coordinates with Crossville's Cava Noir Desir Porcelain Tile Panel
- Black body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

Night Watch PO - PC010.1SLAB12






Film Noir Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.

Available Colors

Film Noir UP- PC005.1SLAB12






Suspense Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

Suspense UP - PC006.1SLAB12








Femme Fatale Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- Coordinates with Crossville's Notorious porcelain floor and wall tile
- Does not require sealing like traditional concrete looks
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

Femme Fatale UP - PC007.1SLAB12








Wheat Field Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- The material mimics natural stones without the maintenance
- Warm neutral tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

Wheat Field UP - PC013.1SLAB12
Wheat Field PO - PC014.1SLAB12








Baltic Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- The material mimics natural stones without the maintenance
- Cool grey tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

- Baltic UP - PC001.1SLAB12
- Baltic PO - PC002.1SLAB12





Lightning Polished - PC004
Photo: Gita Tao




Lightning Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- The material mimics natural stones without the maintenance
- Soft neutral tones extend through the body for unnoticeable edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

- Lightning UP - PC003.1SLAB12
- Lightning PO - PC004.1SLAB12








State of Grace Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- The material mimics natural stones without the impracticality of marble
- Coordinates with Crossville's State of Grace porcelain floor and wall tile
- White body color coordinates with dominate color for unnoticeable edges
- This material will not lighten or yellow in UV light, and is frost and heat resistant

Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

State of Grace UP - PC011.1SLAB12
State of Grace PO - PC012.1SLAB12








Sugar Coat Porcelain Slabs

Size	Weight	Thickness (mm)
1620 x 3240mm (63.8" x 127.6")	30kg/m ²	12

- The super white coloration extends through the body for uninterrupted edge treatments
- This material will not lighten or yellow in UV light, and is frost and heat resistant


Size



1620mm x 3240mm

Note: These photos depict base color and sheen. Please refer to actual material for a more accurate depiction of veining and pattern.

Information listed here is subject to change. Speak to your customer service rep for the latest, most accurate information.



Available Colors

- Sugar Coat UP - PC015.1SLAB12
- Sugar Coat PO - PC016.1SLAB12





Technical Considerations for Countertop Fabrication

As a designer, you need to know all the details to make your project a success. We invite you to view our Porcelain Slabs Fabrication Guide for in-depth specification details. For some of the most commonly asked questions, please read on.

What types of edge treatments are available with Crossville Porcelain Slabs?

Crossville Porcelain Slabs may be finished in a variety of ways. Build the product up with mitered edges to your desired thickness. Keep things sleek and modern with a 12mm eased or bullnosed edge. Or bring in the bling with your favorite metallic edging. Here, the creative solution is yours..



Bullnose



Built-up


Edge treatment profiles



What is the minimum distance from the edge I can make a cut?

In the design of the countertop, maintain a minimum distance of 50mm from the outer edge before beginning a cut, including those for sinks, faucets, or plugs. 50mm of material must also be maintained between cuts to ensure stability when handling.

The recommended internal corner radius is a minimum of 5mm to distribute stress. While a 90° internal angle may be obtained using a water-jet process, this type of cut increases the possibility of cracking during cutting, transport, and installation




What is the full, usable size of a Crossville Porcelain Countertop?

Each slab can be used to obtain a 1620x3240mm usable surface.


What considerations do I need to give for sinks?

For flush mount installations, please leave a minimum of 2mm between the sink or cook top and the porcelain countertop to allow for thermal expansion. When installing an undermount sink, chamfer the edge of the countertop around the hole. Seal the space between the sink/cook top and countertop with silicone, adhesive seal, or an equivalent product. Use one or two support bars fixed to the unit frame to support sinks as this will reduce stress to the countertop.



How do I create an “L” shaped countertop layout?

When creating an “L” shaped counter layout, diagonal joints are not advised. Please seam together in a straight pattern, filling the joint with color-matched silicone or other common seaming materials. Please perform a preliminary check on pieces to make sure both pieces are as compatible as possible.



How far can Crossville Porcelain Slabs overhang?

Overhang dimensions vary by overall countertop proportions. Please refer to our Countertop Fabrication Guide for more information.

For more technical guidance on Crossville Porcelain Slabs, please read our Porcelain Countertop Fabrication Guide.



Porcelain Slabs Cleaning

Suggested Cleaners For Problem Stains

In keeping with Crossville's long-standing position on sustainability, we highly recommend the use of low VOC, non-hazardous, and non-polluting products for cleaning and maintaining countertops (for specific problem stains, please use the following stain removal chart).

These products are used by maintenance professionals and may not be readily available in all areas. Most household cleaners are sufficient to clean common stains. Refer to countertop fabrication guide for additional information. In the case where stain removal becomes a problem, contact a cleaning and maintenance product supplier or your local tile distributor for professional suggestions.

In keeping with its commitment to quality, Crossville® will offer its Technical Service Department for individualized assistance. This department can assist you in the proper installation and maintenance of all Crossville® products. Contact Crossville Technical Services at 931.484.2110.

Crossville® recommends the use of professional cleaning and maintenance products. If additional information or assistance is required on a contaminant not listed, or if you need to find out where the products are sold, please call us, or contact one of the following:

Fila Chemicals USA Corp.

10800 NW 21st St. # 170
Miami, FL 33172
305.513.0708
www.filasolutions.com

Miracle Sealants Co.

12318 Lower Azusa Rd.
Arcadia, CA 91006-5872
800.350.1901 ext. 3013
miraclesealants.com

Aqua Mix

Santa Fe Springs, CA 90670
800.272.8786
aquamix.com

	STAIN	FILA	AQUA MIX	MIRACLE SEALANTS	COMMON
Food Groups	Mustard Ketchup Mayonnaise Tea Bags Ice Cream Beer/Wine Orange Juice Grape Juice Coffee Coke Soy Sauce	PS87 or SR95	Concentrated Stone & Tile Cleaner or Grout Deep Clean	Porcelain and Ceramic Tile Cleaner or Tile & Stone Cleaner or Liquid Powlitce or Heavy Duty Acid Cleaner (HDAC)	Mr. Clean® Neutral Floor Cleaner® 409® Spic and Span® Fantastic® Comet® Windex® Lysol® Soft Scrub® Mr. Clean Magic Eraser®
Oil & Grease	Vegetable Mineral Petroleum Wax Sealer Meat Grease Hydraulic Oil Trans. Fluid Linseed Oil Lipstick Rubber Shoe Polish Paint (Oil Based)	PS87 or No Spot PS87 or PRO Stripe	Heavy-Duty Tile & Grout Cleaner	Porcelain and Ceramic Tile Cleaner or Tile & Stone Cleaner or Liquid Powlitce or Heavy Duty Acid Cleaner (HDAC)	Mr. Clean Neutral Floor Cleaner 409 Spic and Span Fantastic Comet Windex Lysol Soft Scrub Mr. Clean Magic Eraser
Markers/Graffiti	Felt Tip Ink Water Marker Permanent Fluorescent Pencil Crayon	PS87 or SR95 PS87		Porcelain and Ceramic Tile Cleaner or Heavy Duty Acid Cleaner (HDAC)	Comet Soft Scrub Mr. Clean Neutral Floor Cleaner ZUD Mr. Clean Magic Eraser
Water-Based Agents	Water Base Paint or Stain	PS87 or Deterdek		Porcelain and Ceramic Tile Cleaner or Tile & Stone Cleaner or Heavy Duty Acid Cleaner (HDAC)	Mr. Clean Neutral Floor Cleaner Comet Mr. Clean Magic Eraser
Grout	Cement Latex Polymer Epoxy	Deterdek or PS87 EPOXY Off	Sulfamic Acid Crystals or Cement Grout Haze Remover or Grout Haze Clean-Up* Sealer and Coating Remover	Heavy Duty Acid Cleaner (HDAC) or Phosphoric Acid - Epoxy Grout Film Remover	White Vinegar Lime-A-Way Mr. Clean Magic Eraser

*For problem stains, it may be necessary to use an abrasive powder compound in conjunction with the above cleaners: With Heavy-Duty Tile & Grout Cleaner or Grout Haze Clean-Up, use Aqua Mix Powlitce. Please be careful to follow manufacturers recommended procedures when using any cleaning product. To download a copy of "How to Care for Porcelain Stone" tile," be sure to visit our web site at CrossvilleInc.com.



Cleaning



Suggested Cleaners For Problem Stains

In keeping with Crossville's long-standing position on sustainability, we highly recommend the use of low VOC, non-hazardous, and non-polluting products for cleaning and maintaining tile and grout (for specific problem stains, please use the following stain removal chart).

These products are used by tile and maintenance professionals and may not be readily available in all areas. Most household cleaners are sufficient to clean common stains as long as they conform to the standards set forth in the Daily Maintenance Section. In the case where stain removal becomes a problem, contact a cleaning and maintenance product supplier or your local tile distributor for professional suggestions.

In keeping with its commitment to quality, Crossville® will offer its Technical Service Department for individualized assistance. This department can assist you in the proper installation and maintenance of all Crossville® Porcelain Stone® tiles. Contact Crossville Technical Services at 931.484.2110.

Crossville® recommends the use of professional cleaning and maintenance products. If additional information or assistance is required on a contaminant not listed, or if you need to find out where the products are sold, please call us, or contact one of the companies to the right.

Custom Building Products, Tilelab & Aquamix

Seal Beach, CA 90740
800.272.8786
custombuildingproducts.com
aquamix.com

Fila Chemicals USA Corp.

10800 NW 21st St. # 170
Miami, FL 33172
305.513.0708
www.filasolutions.com

Miracle Sealants Co.

12318 Lower Azusa Rd.
Arcadia, CA 91006-5872
800.350.1901 ext. 3013
miraclesealants.com

	STAIN	FILA	CUSTOM	AQUA MIX	MIRACLE SEALANTS	COMMON
Food Groups	Mustard Ketchup Mayonnaise Tea Bags Ice Cream Beer/Wine Orange Juice Grape Juice Coffee Coke Soy Sauce	PS87 or SR95	TileLab Grout & Tile Cleaner	Concentrated Stone & Tile Cleaner or Grout Deep Clean	Porcelain & Ceramic Tile Cleaner or Tile & Stone Cleaner or Liquid Powlitice or Heavy Duty Acid Cleaner (HDAC)	Mr. Clean® Neutral Floor Cleaner® 409® Spic and Span® Fantastic® Comet® Windex® Lysol® Soft Scrub® Mr. Clean Magic Eraser® Bar Keepers Friend®
Oil & Grease	Vegetable Mineral Petroleum Wax Sealer Meat Grease Hydraulic Oil Trans. Fluid Linseed Oil Lipstick Rubber Shoe Polish Paint (Oil Based)	PS87 or No Spot Fila PS87 or PRO Strip	TileLab Heavy Duty Stripper & Cleaner	Heavy-Duty Tile & Grout Cleaner	Porcelain & Ceramic Tile Cleaner or Tile & Stone Cleaner or Liquid Powlitice or Heavy Duty Acid Cleaner (HDAC)	Mr. Clean Neutral Floor Cleaner 409 Spic and Span Fantastic Comet Windex Lysol Soft Scrub Mr. Clean Magic Eraser Bar Keepers Friend
Markers/Graffiti	Felt Tip Ink Water Marker Permanent Fluorescent Pencil Crayon	PS87 or SR95 PS87	TileLab Heavy Duty Stripper & Cleaner	Sealer & Coating Remover	Porcelain and Ceramic Tile Cleaner or Heavy Duty Acid Cleaner (HDAC)	Comet Soft Scrub Mr. Clean Neutral Floor Cleaner ZUD® Mr. Clean Magic Eraser Bar Keepers Friend
Water-Based Agents	Water Base Paint or Stain	PS87 or Deterdek	TileLab Heavy Duty Stripper & Cleaner	Sealer & Coating Remover	Porcelain & Ceramic Tile Cleaner or Heavy Duty Acid Cleaner (HDAC) or Tile & Stone Cleaner	Mr. Clean Neutral Floor Cleaner Comet Mr. Clean Magic Eraser Bar Keepers Friend
Tile Grout	Cement Latex Polymer Epoxy	Deterdek or PS87 EPOXY Off	TileLab Sulfamic Acid Cleaner or Grout Haze Remover	Sulfamic Acid Crystals or Cement Grout Haze Remover or Grout Haze Clean-Up* Sealer & Coating Remover	Heavy Duty Acid Cleaner (HDAC) or Phosphoric Acid Epoxy Grout Film Remover	White Vinegar Lime-A-Way Mr. Clean Magic Eraser Bar Keepers Friend

*For problem stains, it may be necessary to use an abrasive powder compound in conjunction with the above cleaners: With Heavy-Duty Tile & Grout Cleaner or Grout Haze Clean-Up, use Aqua Mix Powlitice. Please be careful to follow manufacturers recommended procedures when using any cleaning product. To download a copy of "How to Care for Porcelain Stone® tile," be sure to visit our web site at Crossvilleinc.com.



Tile Performance Data

Tile Performance Data

	Finish	Water Absorption	Deep Abrasion	Breaking Strength	Bond Strength	Wet Dynamic Coefficient of Friction	Facial Dimensions Range	Range of Thickness	Warpage (Diagonal)	Wedging	Frost Resistance	Chemical Resistance	Scratch Hardness
Porcelain Stone® Tile													
Alaska®	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Altered State	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Argent	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Argent	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Basalt	(UPS)	< 0.50%	–	≥ 400 lbf	> 200psi	.50 – .60	± 0.15%	0.030	± 0.20%	± 0.25%	Resistant	Unaffected	7
Bluestone	(HON)	< 0.50%	–	> 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
Bluestone	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
Classic Grooves	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
Color Blox® 2.0	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.25%	0.035	± 0.20%	± 0.20%	Resistant	Unaffected	7
Cross-Colors Mingles													
- Polished	(PO)	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.31 – .41	± 0.15%	0.015	± 0.20%	± 0.30%	Resistant	Unaffected	7
- Unpolished	(UPS)	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.50 – .60	± 0.15%	0.015	± 0.20%	± 0.30%	Resistant	Unaffected	7
- Cross-Slate®	(CS)	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.50 – .60	± 0.15%	N/A	± 0.20%	± 0.30%	Resistant	Unaffected	7
- Cross-Tread®	(CTS)*	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.50 – .60	± 0.15%	N/A	± 0.20%	± 0.30%	Resistant	Unaffected	7
Empire	(PO)	< 0.20%	< 175	≥ 425 lbf	> 200 psi	.22 – .32	± 0.20%	0.020	± 0.20%	± 0.40%	Resistant	Unaffected	6
Empire	(UP)	< 0.20%	< 175	≥ 425 lbf	> 200 psi	.42 – .52	± 0.20%	0.020	± 0.20%	± 0.40%	Resistant	Unaffected	6
Familiar Territory	(UPS)	< 0.50%	–	≥ 400 lbf	> 200 psi	.50 – .60	± 0.15%	0.025	± 0.20%	± 0.30%	Resistant	Unaffected	7
Familiar Territory	(SPO)	< 0.50%	–	≥ 400 lbf	> 200 psi	.42 – .52	± 0.15%	0.025	± 0.20%	± 0.30%	Resistant	Unaffected	7
Gotham®	(UPS)	< 0.50%	–	≥ 400 lbf	> 200 psi	.50 – .60	± 0.15%	0.025	± 0.20%	± 0.35%	Resistant	Unaffected	7
Java Joint	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.15%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Jazz Age	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.15%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Main Street	(UPS)	< 0.50%	–	≥ 400 lbf	> 200 psi	.58 – .68	± 0.15%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
Moonstruck	(HON)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Moonstruck	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Nest®	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.035	± 0.20%	± 0.25%	Resistant	Unaffected	7
Notorious®	(HON)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Notorious®	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Owen Stone	(LTR)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.035	± 0.20%	± 0.25%	Resistant	Unaffected	7
Owen Stone	(EXT)	< 0.50%	–	≥ 450 lbf	> 200 psi	.60 – .70	± 0.10%	0.035	± 0.20%	± 0.25%	Resistant	Unaffected	7
Portugal UPS	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Portugal EXT	(EXT)	< 0.50%	–	≥ 450 lbf	> 200 psi	.60 – .70	± 0.10%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Ready to Wear	(UPS)	< 0.50%	–	≥ 400 lbf	> 200 psi	.50 – .60	± 0.15%	0.020	± 0.20%	± 0.35%	Resistant	Unaffected	7
Reformation	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.030	± 0.20%	± 0.25%	Resistant	Unaffected	7
Relax	(UP)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.30%	Resistant	Unaffected	7
Retro Active 2.0	(PO)	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.31 – .41	± 0.20%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Retro Active 2.0	(UPS)	< 0.20%	< 175	≥ 300 lbf	> 200 psi	.50 – .60	± 0.20%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Retro Active 2.0	(PTN)	< 0.20%	–	≥ 300 lbf	> 200 psi	.42 – .52	± 0.20%	0.020	± 0.20%	± 0.30%	Resistant	Unaffected	7
Shades 2.0 SPO	(SPO)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.20%	Resistant	Unaffected	7
Shades 2.0 UPS	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
Shades 2.0 PTN	(PTN)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.025	± 0.20%	± 0.25%	Resistant	Unaffected	7
SpeakEasy	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.50 – .60	± 0.10%	0.035	± 0.20%	± 0.25%	Resistant	Unaffected	7
State of Grace	(SAT)	< 0.50%	–	≥ 450 lbf	> 200 psi	.31 – .41	± 0.10%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
State of Grace	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.020	± 0.20%	± 0.25%	Resistant	Unaffected	7
Stone Fiction	(UPS)	< 0.50%	–	≥ 450 lbf	> 200 psi	.42 – .52	± 0.10%	0.030	± 0.20%	± 0.25%	Resistant	Unaffected	7
Stone Fiction	(EXT)	< 0.50%	–	≥ 450 lbf	> 200 psi	.60 – .70	± 0.10%	0.030	± 0.20%	± 0.25%	Resistant	Unaffected	7

Test results available on request.

Like any material, Crossville® tile can become slippery when wet. We recommend that care be taken to keep the surface dry.

Color reproduction in the photography in this catalog is representative only. Slight variation is inherent in fired porcelain and natural stone. Before selecting a color, contact your local representative for live samples or order online at crossvilleinc.com

* The increased real world traction of these types of surfaces cannot be fully realized by any current DCOF testing methodology due to their exaggerated facial structures.

Wet Area Use For Mosaic Tiles


Crossville® produces mosaic tiles with the Cross-Sheen® finish. The ANSI A326.3 Wet Dynamic COF is ≥ 0.42. Their small sizes ensure frequent grout joints which provides traction and drainage.

Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water, and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Crossville's mosaic to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Shade & Texture Index

V1 = Uniform Appearance	Differences among pieces from the same production run are minimal.
V2 = Slight Variation	Clearly distinguishable differences in texture and/or pattern within similar colors.
V3 = Moderate Variation	While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.
V4 = Substantial Variation	Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.



Inspect products upon delivery and for best results, blend tile from several cartons during installation.

Crossville Appendix



DEFINITIONS

Bullnose* – Rounded convex trim used to provide a smooth, rounded edge for countertops, stair steps, and building corners. This is the most used trim shape for wall tile installations. Wall tile bullnose is sometimes referred to as surface cap. It has one rounded finished edge on the tile and can be used horizontally or vertically. Left Bullnose Corner & Right Bullnose Corner are also referred to as Double Bullnose.

Calibrated Tile – Tiles that have been sorted to meet a pre-determined acceptance of variable range in size. Crossville® recommends a minimum grout joint of 3/16 inch.

Cross-Sheen® (UPS) – An invisible, integrated treatment that protects surfaces from the defacing effects of scuffs, stains, and even permanent marker and graffiti while imparting a subtle, color-enhancing glow.

Cross-Slate® (CS) – The Cross-Slate® finish combines the rustic and textured feel of slate with the through-body color and durability of Porcelain Stone® for strong commercial value where enhanced traction is needed. Cross-Slate is recommended for high-traffic interior and exterior walking surfaces in both residential and commercial environments.

Cross-Tread® (CTS) – Enhanced traction and ease of maintenance make this texture a suitable choice for wet and greasy interior floor areas and exterior walking surfaces. The Cross-Tread® surface pattern is eye-catching, making it a great option for transitional areas and for use as an accent tile.

Cove Base (Standard, round top)* – This cove base has a rounded finished top like bullnose and is used as a cove base in areas that will not have wall tile installed above it.

Cove Base (Universal, flat top)* – This cove base has a finished, flat top. It can be used alone or with tile stacked on top. Exception: Color By Numbers® cove base has an unglazed, flat top.

Dynamic Coefficient of Friction (DCOF) – Sometimes called kinetic coefficient of friction. This is the ratio of the force necessary to keep a surface already in motion sliding over another divided by the weight (or normal force) of an object. This force is a materials property of the two surfaces. DCOF is usually less than SCOF for the same materials. Contaminants such as dirt, water, soap, oil, or grease can change this value.

Exterior (EXT) – A textured finish designed for exterior walking surfaces in residential and commercial environments where enhanced traction is desired. Exterior products are also suitable for interior paving, especially in wet areas.

Honed (HON)/Semi-Polished (SPO) – A uniform, semi-polished finish that results from mechanically altering the surface.

Modular – Tiles of various dimensions are sized so that they may be installed together in patterns with a common specified joint width. The difference between Actual and Nominal is the grout joint.

Patterned (PTN) – A repeated, decorative texture or finish created for visual interplay and/or interest.

Polished (PO) – Polished Porcelain Stone® is a practical alternative to natural stone with its attractive, mirror-like finish and can be used with other surface textures to increase visual interplay and interest. Polished finish adds a look of elegance and sophistication to interior floors and interior and exterior walls. Polished finish is not recommended for wet areas where standing water may occur or for exterior horizontal and/or walking surfaces.

Rectified/Cross-Grid® – A tile that has had all edges mechanically finished to achieve a more precise facial dimension. 3-4mm grout joint recommended.

Satin (SAT) – A smooth, semi-matte finish that results from mechanically altering the surface.


Textured (TX) – The rustic appearance and texture of natural slate designed for improved traction on exterior walking surfaces.

Through-body Color – The color of the tile is the same through and through.

Unpolished (UPS) – Cross-Sheen® finish imparts a subtle glow to an unpolished surface that enhances color and allows scuffs, stains, and even permanent marker and graffiti to be easily removed. Unpolished with Cross-Sheen® finish is appropriate for high-traffic interior floors and walls where low maintenance is desired. Unpolished with Cross-Sheen® finish is not recommended for wet areas where standing water may occur or for exterior horizontal and/or walking surfaces.

Unpolished (UP) – A subtle, unaltered finish that may incorporate subtle variations in texture or gloss.

*Bullnose and Cove Base Diagrams





Sample Express

Order your samples quickly and easily online at CrossvilleInc.com

We offer a variety of sizes and shipping options to satisfy your project needs.

You may also place sample orders through your Crossville representative, by emailing Samples@CrossvilleInc.com or calling **800.221.9093**

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, visit our website at CrossvilleInc.com and try Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile in kitchens, bathrooms, dining rooms, and other living areas. In addition, our website features comprehensive information about Crossville's entire portfolio of products, including tile, trim, borders, and accents.

You can also download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com.

* Information here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.



PO Box 1168, Crossville, TN 38557
Phone 931.484.2110
Fax 931.456.2956
Crossc@CrossvilleInc.com
CrossvilleInc.com

Trade Organizations



Wet Dynamic Coefficient of Friction information gathered as a result of DCOF Acu Test™

® - Color Blox, Color Blox Mosaics, Color by Numbers, Cross-Colors, Cross-Tech, Cross-Sheen, Cross-Slate, Cross-Tread, Cross-Vision, Crossville, Crossville Ceramics, EcoCycle, EcoCycle Americana, EcoCycle Tile Process, Get-Planked, Glass Blox, Gotham, Nest, Notorious, Porcelain Stone, Shades by Crossville, Tile Take Back, and Crosstyle are copyrighted marks of Crossville, Inc.

™ - Alaska, Cursive, Familiar Territory, Hydrotect, Jazz Age, Laminam by Crossville, Reformation, Story Teller, and Swatches are registered trademarks of Crossville, Inc.

All products manufactured by Crossville® contain pre-consumer recycled content. Globally sourced products contain varied amounts of recycled content.

